

CONTENTS

ACKNOWLEDGMENT	i - ii
ABSTRACT	iii - v
LIST OF CONTENTS	vi - xii
LIST OF TABLES	xiii - xiv
LIST OF FIGURES	xv - xvi
LIST OF PLATES	xvii - xviii

CHAPTER 1

Introduction and Review of Literature

1.0 Introduction and Review of Literature	1
1.1 Ayurveda and Hepatitis	3
1.2 Ayurveda and Diabetes mellitus	4
1.3 Botanical feature and medicinal uses of the medicinal plants used in the present study	6
1.3.1 <i>Osbeckia octandra</i>	6
1.3.2 <i>Melothria maderaspatana</i>	7
1.3.3 <i>Artocarpus heterophyllus</i>	9
1.3.4 <i>Ficus benghalensis</i>	12
1.4 Hepatitis	14
1.4.1 Classification of Hepatitis	14
1.5 Plant with anti-hepatotoxic activity	17
1.6 Medicinal plants used in Sri Lanka for the treatment of liver dysfunction	23
1.7 Diabetes mellitus	32
1.7.1 Classification of Diabetes mellitus	32
1.8 Plants with oral hypoglycaemic activity	33

1.9 Medicinal plants used in Sri Lanka for the control of diabetes mellitus	42
1.10 Oral hypoglycaemic compounds isolated from hypoglycaemic plants and their modes of action	47
1.11 Insulin and standard oral hypoglycaemic drugs	48
1.11.1 Insulin	48
1.11.1.1 Biological effect of Insulin	49
1.11.1.2 Insulin as an anti-diabetic drug	50
1.11.2 Oral hypoglycaemic drugs	50
1.11.2.1 Antihistamines	51
1.11.2.2 The salicylates	51
1.11.3 Modern oral hypoglycaemic drugs	52
1.11.3.1 Sulfonylureas	52
1.11.3.2 Biguanides	53
1.11.3.3 Guar gum (polysaccharides-galactomannan)	54
1.12 Modern antihepatotoxic drugs	54

CHAPTER 2

Chemical Screening of Plant extracts

2.0 Chemical Screening of Plant extracts	56
2.1 Introduction	56
2.1 Experimental	57
2.2.1 Collection of plants	57
2.2.2 Drying of plant material	57
2.2.3 Extraction of plant constituents	57
2.2.4 Preparation of Analytical Thin Layer Chromatography	59
2.2.5 Reagents for phytochemical screening	59

2.2.5.1	2N-Hydrochloric acid	59
2.2.5.2	Mayer's reagent	59
2.2.5.3	Wagner's reagent	59
2.2.5.4	Dragendorff reagent	60
2.2.5.5	Kedde reagent	60
2.2.5.6	Aluminium chloride	61
2.2.5.7	Ferric chloride solution	61
2.2.6	Screening for alkaloids	61
2.2.6.1	Primary, Secondary & Tertiary alkaloids	61
2.2.6.2	Quaternary alkaloids	62
2.2.7	Screening for saponins	62
2.2.7.1	Froth test	62
2.2.7.2	Haemolysis test	63
2.2.8	Screening of Steroids/Triterpenoids	63
2.2.8.1	Salkowski test	63
2.2.8.2	Liebermann-Burchardt test	64
2.2.9	Screening for cardiac glycosides	64
2.2.9.1	Kedde test	64
2.2.9.2	Keller-killiani test	65
2.2.10	Screening for flavonoids	65
2.3	Results and Discussion	66

CHAPTER 3

Screening of *Osbeckia octandra* and *Melothria maderaspatana* for Antihepatotoxic activity

3.0 Screening of *Osbeckia octandra* and *Melothria maderaspatana* for Antihepatotoxic activity

70

3.1	Introduction	70
3.2	Experimental	71
3.2.1	General experimental procedure	71
3.2.2	Isolation of compounds from <i>O. octandra</i> and <i>M. maderaspatana</i>	71
3.2.3	Biological testing	71
3.2.3.1	Experimental animals	71
3.2.3.2	Induction of liver damage	71
3.2.4	Dosage and administration of crude aqueous extracts <i>O. octandra</i> and <i>M. maderaspatana</i>	72
3.2.5	Dosage of different extracts	72
3.2.6	Dosage and administration of isolated compounds	73
3.2.6.1	Flavonoid mixture (A), compound B and compound C isolated from <i>O. octandra</i>	73
3.2.6.2	Flavonoid A1, A2, A3 isolated from <i>O. octandra</i>	73
3.2.6.3	Alkaloids A, B and C isolated from <i>M. maderaspatana</i>	74
3.2.7	Sampling of Blood	74
3.2.8	The determination of serum glutamate pyruvate transaminase (SGPT) and serum glutamate oxaloacetate transaminase (SGOT)	74
3.2.8.1	Reagents	74
3.2.8.2	Method	75
3.2.9	Determination of serum alkaline phosphatase (SAP)	80
3.2.9.1	Reagents	80
3.2.9.2	Method	81
3.2.10	Histopathological study of the effects of treating liver damaged rats with <i>O. octandra</i> and <i>M. maderaspatana</i> extracts and unknown compounds isolated from the extracts	82
3.2.10.1	Reagents	82

3.2.10.2	Method	83
3.2.11	Treatments of animals	83
3.2.11.1	Treatment of animals with different extracts of <i>O. octandra</i>	83
3.2.11.2	Treatment of animals with different extracts of <i>M. maderaspatana</i>	84
3.2.11.3	Treatment of animals with unknown compounds isolated from <i>O. octandra</i>	84
3.2.11.4	Treatment of animals with components isolated (A1, A2, A3) from the flavonoid mixture of <i>O. octandra</i>	84
3.2.11.5	Treatment of animals with components isolated from <i>M. maderaspatana</i>	84
3.3	Results and Discussion -	84

CHAPTER 4

Screening of *O. octandra*, *F. benghalensis* and *A. heterophyllus* for hypoglycaemic activity

4.0	Screening of <i>O. octandra</i> , <i>F. benghalensis</i> and <i>A. heterophyllus</i> for hypoglycaemic activity	117
4.1	Introduction	117
4.2	Experimental	117
4.2.1	General experimental procedure	117
4.2.2	Isolation of compounds from <i>O. octandra</i>	118
4.2.3	Experimental animals	118
4.2.4	Dosage and administration of drugs	118
4.2.5	Tolbutamide	118
4.2.6	Sampling of blood	119
4.2.7	Determination of blood glucose	119
4.2.7.1	Materials	119
4.2.7.2	Reagents	119

4.2.7.3	Method	121
4.2.8	Effect of different fractions of <i>O. octandra</i> on fasting blood glucose levels	121
4.2.9	Effect of different fractions of <i>O. octandra</i> on Glucose Tolerance Test (GTT)	122
4.2.10	Effect of different fractions of <i>F. benghalensis</i> on fasting blood glucose levels	123
4.2.11	Effect of different fractions of <i>F. benghalensis</i> on Glucose Tolerance Test (GTT)	123
4.2.12	Effect of different fractions of <i>A. heterophyllus</i> on fasting blood glucose levels	124
4.2.13	Effect of different fractions of <i>A. heterophyllus</i> on Glucose Tolerance Test (GTT)	124
4.2.14	Effect of flavonoid mixture (A), compound B and C isolated from <i>O. octandra</i> on fasting blood glucose levels	125
4.2.15	Effect of flavonoid mixture (A), compound B and C isolated from <i>O. octandra</i> on Glucose Tolerance Test (GTT)	126
4.2.16	Effect of flavonoid A1, A2 and A3 isolated from <i>O. octandra</i> on fasting blood glucose levels	126
4.2.17	Effect of flavonoid A1, A2 and A3 isolated from <i>O. octandra</i> on Glucose Tolerance Test (GTT)	127
4.3	Results and Discussion	128

CHAPTER 5

Isolation of components from active extracts of *O. octandra* and *M. maderaspatana*

5.0	Isolation of components from active extracts of <i>O. octandra</i> and <i>M. maderaspatana</i>	153
5.1	Introduction	153
5.2	Experimental	155
5.2.1	General Experimental Procedure	155

5.2.2	Extraction and enrichment	155
5.2.2.1	Extraction of <i>O. octandra</i>	155
5.2.2.2	Extraction of <i>M. maderaspatana</i>	156
5.2.3	Isolation of components from plant extracts	157
5.2.3.1	Isolation of components from ethylacetate of <i>O. octandra</i>	157
5.2.3.2	Isolation of components from aqueous fraction of <i>O. octandra</i>	158
5.2.3.3	Isolation of components from active fractions of <i>M. maderaspatana</i>	158
5.2.3.3.1	The petroleum ether fraction	158
5.2.3.3.2	The dichloromethane fraction	159
5.2.3.3.3	The ethylacetate fraction	159
5.2.3.3.4	The methanol fraction	160
5.2.3.3.5	The aqueous fraction	160
5.3	Results and Discussion	161
5.3.1	Structure determination of active ingredient of <i>O. octandra</i>	161
5.3.1.1	Less polar compound (A1) (fast running compound)	161
5.3.1.1.1	Structure determination of A1	161
5.3.1.1.2	Analysis of a possible chalcone	164
5.3.1.2	Structure determination of A2	166
5.3.2	Structure of A3	167
5.3.3	Polar compound (B) (slow running compound)	167
APPENDIX		192
REFERENCES		194
PUBLICATION		202