

Contents

Abstract	i
Acknowledgements	ii
Contents	iii
List of Tables	vii
List of Figures	viii
Abbreviations	ix
1. INTRODUCTION	1
1.1 Present status of groundnut production in Sri Lanka	1
1.2 Importance of Confectionary type groundnuts	3
2. REVIEW OF LITERATURE	5
2.1 Origin and distribution	5
2.2 Taxonomy and classification	5
2.3 Growth and Development of groundnut	6
2.3.1 Seedling and vegetative growth	6
2.3.2 Reproductive growth and maturity	7
2.3.3 Nodule formation and nitrogen fixation	9
2.4 Climatic and soil requirements	9
2.5 Management practices in groundnut cultivation	10
2.5.1 Growing season	10
2.5.2 Field selection and development	10
2.5.3 Land preparation	10

2.5.4 Planting, seed rate and spacing	11
2.5.5 Seed treatment	11
2.5.6 Weeding and earthing up	11
2.5.7 Water management	11
2.5.8 Nutrient management	12
2.5.9 Harvesting and processing	12
2.6 Flower structure and floral biology	15
2.7 Hybridization in groundnut	15
2.8 Methods of cultivar development in groundnut	16
2.8.1 Methods without artificial hybridization	16
2.8.2 Mutation breeding	16
2.8.3 Methods after artificial hybridization	16
2.9 Different selection methods in groundnut generation advancement	17
2.9.1 Pedigree method	17
2.9.2 Single seed descent method (SSD)	17
2.9.3 Modified bulk selection	17
2.10 Application of breeding theories for crop improvement	18
2.10.1 Heritability	18
2.11 Maturity of groundnut	20
2.12 Assessment of genetic diversity	20
2.13 Types of crosses and combining abilities	22

3. MATERIALS AND METHODS	24
3.1 Experiment 1	24
3.1.1 Research site	24
3.1.2 Treatments	25
3.1.3 Experimental design and field layout	26
3.1.4 Cultural operations	26
3.1.5 Observation and Data recording	26
3.2 Experiment 2	28
3.3 Data analysis	29
4. RESULTS AND DISCUSSION	32
4.1 Variability of the different qualitative and quantitative characteristics	32
4.2 Analysis of Variance in growth and yield parameters	34
4.2.1 Days to 50% Flowering	35
4.2.2 Plant height at maturity	36
4.2.3 Plant width or spread	37
4.2.4 Days to maturity	38
4.2.5 Pod weight per plant	39
4.2.6 Number of pods per plant	40
4.2.7 100 seed weight	41
4.2.8 Pod yield per hectare	42
4.3 Heritability estimates	45
4.4 Principal component analysis and correlation analysis	46

4.5 Cluster analysis	50
4.6 Combining ability estimates	53
5. CONCLUSIONS AND RECOMMENDATIONS	56
5.1 Conclusions	56
5.2 Recommendations	57
6. REFERENCES	58

List of Tables

Table 1.1 Cultivated extent and production of groundnut in Sri Lanka	2
Table 1.2 Groundnut varieties released by the Department of Agriculture, Sri Lanka	3
Table 2.1 Range of variability in cultivated groundnut observed at ICRISAT, India	14
Table 3.1 Genetic materials used in the experiment 1	25
Table 3.2 Analysis of variance	30
Table 4.1 Accession number and qualitative characteristics of the groundnut genotypes used in the study	33
Table 4.2 Analysis of variance for different characteristics of groundnut genotypes	35
Table 4.3 Mean values of some minor plant characteristics of the tested genotypes	44
Table 4.4 Genetic parameters of some traits of groundnut genotypes	45
Table 4.5 Principal component analysis for thirteen agronomic traits associated with nineteen accessions of groundnut	47
Table 4.7 Groundnut genotypes in each cluster	51
Table 4.8 Mean values of three clusters for some quantitative characters	52
Table 4.9 Estimates of parental general combining ability (GCA) effects for various traits in groundnut	53
Table 4.10 Estimates of parental specific combining ability (SCA) effects for various traits in groundnut	55

List of Figures

Figure 4.1 Variability of days to 50% flowering among the large seeded groundnut genotypes during <i>2014/15 maha</i>	36
Figure 4.2 Variability of plant height at maturity among the large seeded groundnut genotypes during <i>2014/15 maha</i>	37
Figure 4.3 Variability of plant spread at maturity among the large seeded groundnut genotypes during <i>2014/15 maha</i>	38
Figure 4.4 Variability of maturity among the large seeded groundnut genotypes during <i>2014/15 maha</i>	39
Figure 4.5 Variability of pod weight per plant among the large seeded groundnut genotypes during <i>2014/15 maha</i>	40
Figure 4.6 Variability of number of pods per plant among the large seeded groundnut genotypes during <i>2014/15 maha</i>	41
Figure 4.7 Variability of 100 seed weight among the large seeded groundnut genotypes during <i>2014/15 maha</i>	42
Figure 4.8 Variability of pod yield per hectare among the large seeded groundnut genotypes during <i>2014/15 maha</i>	43
Figure 4.9 The dendrogram showing 19 genotypes of groundnut derived from Hierarchical cluster analysis (wards method)	51