

LIST OF CONTENT

	<i>Page</i>
List of Figures	vi
List of Tables	vii
List of Plates	viii
List of algal Photos	ix
Acknowledgments	xiii
Abstract	xv
1. INTRODUCTION, HISTORY AND LITERATURE REVIEW	
1.1 Marine algae	1
1.1.1 Taxonomy of marine algae	1
1.1.1.1 Chlorophyta (green algae)	2
1.1.1.2 Phaeophyta (brown algae)	2
1.1.1.3 Rhodophyta (red algae)	2
1.1.2 Ecology of marine algae	3
1.1.3 Seaweeds and reefs	5
1.1.4 Importance of marine algae	6
1.2 Marine algal resources in Sri Lanka	6
1.3 Historical survey of marine algal exploration in Sri Lanka	7
2. OBJECTIVES OF THE STUDY	12
3. MATERIALS AND METHODS	
3.1 Study area – Southwest coast of Sri Lanka	13
3.1.1 Geology	14
3.1.2 Climate	19
3.1.3 Wave and tide patterns	19
3.2 Description of sites	20
3.2.1 Akurala (Site 01)	20
3.2.2 Hikkaduwa (Site 02)	21
3.2.3 Dadalle (Site 03)	22
3.2.4 Talpe (Site 04)	23

3.3 Methodology	24
3.3.1 Sampling	24
3.3.2 Analysis of the algal samples	25
3.3.3 Systematic treatment	25
3.3.4 Preparation of algal herbarium	27
4. RESULTS AND DISCUSSION	
4.1 Algal diversity and taxonomic description	28
4.1.1 Total diversity of four sites	28
4.1.2 Taxonomic description	33
4.2 Distribution pattern and environmental factors	102
4.2.1 Environmental parameters	102
4.2.2 Diversity variation	104
4.2.3 Biomass variations	114
4.3 Anthropogenic activities effects on marine algal resource	121
4.3.1 Coral mining	121
4.3.2 Coastal pollution	124
4.3.3 Tourism	127
4.3.4 Hydrological constructions	129
5. CONCLUSION	131
6. REFERENCES	133
7. PHOTOGRAPH OF ALGAE	139

LIST OF FIGURES

	<i>Page</i>
Fig. 2.1 - Location of the four sites.	14
Fig. 2.2 - Land use and human activities in the environment of Site 01.	15
Fig. 2.3 - Land use and human activities in the environment of Site 02.	16
Fig. 2.4 - Land use and human activities in the environment of Site 03.	17
Fig. 2.5 - Land use and human activities in the environment of Site 04.	18
Fig. 2.6 - Profile and the four zones of the reef of Site 01.	20
Fig. 2.7 - Profile and the four zones of the reef of Site 02.	21
Fig. 2.8 - Profile and the four zones of the reef of Site 03.	22
Fig. 2.9 - Profile and the four zones of the reef of Site 04.	23
Fig. 2.10 - Terminology of vertical zonation (HWST= High Water Spring Tide, HWMS = High Water Mean Tide, LWMT = Low Water Mean Tide, LWST = Low Water Spring Tide, a = continuously submerged at low tide, b = Exposed at low tide).	26
Fig. 4.1 - Seasonal variation of wind speed and wind direction at Site 01.	103
Fig. 4.2 - Number of macroalgal species recorded from different sites during the study period.	107
Fig. 4.3 - Seasonal variation in the number of species (%) in the biotopes at Site 01.	108
Fig. 4.4 - Seasonal variation in the number of species (%) in the biotopes at Site 02.	109
Fig. 4.5 - Seasonal variation in the number of species (%) in the biotopes at Site 03.	110
Fig. 4.6 - Seasonal variation in the number of species (%) in the biotopes at Site 04.	113
Fig. 4.7 - Distribution of macroalgal systematic groups at the 4 sites with reference to their biomass.	114
Fig. 4.8 - Mean percentage biomass of the 3 major algal groups in the study area.	114
Fig. 4.9 - Monthly total biomass variation of the systematic groups at Site 01.	115
Fig. 4.10 - Monthly total biomass variation of the systematic groups at Site 02.	115
Fig. 4.11 - Monthly total biomass variation of the systematic groups at Site 03.	116
Fig. 4.12 - Monthly total biomass variation of the systematic groups at Site 04.	116
Fig. 4.13 - Seasonal variation of biomass in the biotopes at Site 01	117
Fig. 4.14 - Seasonal variation of biomass in the biotopes at Site 02.	118
Fig. 4.15 - Seasonal variation of biomass in the biotopes at Site 03.	119
Fig. 4.16 - Seasonal variation of biomass in the biotopes at Site 04.	119

LIST OF TABLES

	<i>Page</i>
Table 4.1 - Species composition at the four sites arranged according to groups and families.	28
Table 4.2 - Some environmental parameters for pre-, monsoon and post- seasons at the four study sites and at Galle.	102
Table 4.3 - Species identified and their % presence/absence along the transects during the study period at the 4 sites. (See footnote for explanation on numbers).	104

LIST OF PLATES

	<i>Page</i>
Plate 4.1 – Detached algae washed ashore at Site 02.	122
Plate 4.2 – Broken corals ready for transport at Site 01.	123
Plate 4.3 – Heaps of corals taken from the main reef at Site 03.	123
Plate 4.4 – Reef pools resulting from the removal of corals at Site 04.	124
Plate 4.5 – Transport of broken corals from deep sea to the coast.	124
Plate 4.6 – Coral Garden Hotel close to the Site 02.	125
Plate 4.7 – (a) Flow of effluent to the reef area. (b) Unusual growth of algae showing eutrophic effects.	126
Plate 4.8 – (a) Anchored glass bottomed boats at Hikkaduwa. (b) Anchor-ropes producing a new habitat for algae.	128
Plate 4.9 – Partly constructed new hotel adjacent to Site 03.	128
Plate 4.10 – Hydrological structures: (a) Revetment (Boulder tracks), (b) Groyne and (c) Jetty	130
Plate 4.11 – Boulders producing a new habitat for algae (a&b).	130

LIST OF PHOTOGRAPHS

	<i>Page</i>
Photo 1 - <i>Enteromorpha intestinalis</i> (Linnaeus) Nees, Habit; scale bar = 3 cm.	140
Photo 2 - <i>Ulva fasciata</i> Delile, Habit; scale bar = 5 cm.	140
Photo 3 - <i>Ulva reticulata</i> Forsskål. Habit; scale bar = 3 cm.	140
Photo 4 - <i>Ulva rigida</i> C. Agardh, Habit; scale bar = 3 cm.	140
Photo 5 - <i>Ulva fenestrata</i> Postels & Ruprecht, Habit; scale bar = 3 cm	141
Photo 6 - <i>Chaetomorpha antennina</i> (Bory de Saint-Vincent) Kützing, (a) Habit of growth form (HDB 00128); scale bar = 3 cm. (b) Habit of growth form (HDB 00115); scale bar = 2 cm.	141
Photo 7 - <i>Chaetomorpha gracilis</i> Kützing, Habit; scale bar = 3 cm	141
Photo 8 - <i>Chaetomorpha spiralis</i> Okamura. Habit; scale bar = 3 cm.	141
Photo 9 - <i>Chaetomorpha</i> sp., Habit; scale bar = 3 cm.	142
Photo 10 - <i>Cladophora laetevirens</i> (Dillwyn) Kützing. Habit; scale bar = 2 cm.	142
Photo 11 - <i>Cladophora saracenica</i> Børgesen, Habit; scale bar = 2 cm.	142
Photo 12 - <i>Cladophora</i> Sp. Habit; scale bar = 1 cm.	142
Photo 13 - <i>Cladophoropsis sundanensis</i> Reinbold, Habit; scale bar = 2 cm.	143
Photo 14 - <i>Dictyosphaeria cavernosa</i> (Forsskål) Børgesen, Habit; scale bar = 2 cm.	143
Photo 15 - <i>Dictyosphaeria versluysii</i> Weber-van Bosse, Habit; scale bar = 2 cm.	143
Photo 16 - <i>Struvea anastomosans</i> (Harvey) Piccone & Grunow ex Piccone, Habit; scale bar = 1 cm.	143
Photo 17 - <i>Valonia fastigiata</i> Harvey ex J. Agardh, Branched filament; scale bar = 3 cm.	144
Photo 18 - <i>Valoniopsis pachynema</i> (G. Martens) Børgesen, Branched filament; scale bar = 2 cm.	144
Photo 19 - <i>Bryopsis pennata</i> Lamouroux, Habit; scale bar = 2 cm.	144
Photo 20 - <i>Bryopsis pennata</i> Lamouroux var. <i>leprieurii</i> (Kützing) Collins & Hervey, Habit; scale bar = 2 cm.	144
Photo 21 - <i>Caulerpa fergusonii</i> G. Murray, Habit; scale bar = 3 cm.	145
Photo 22 - <i>Caulerpa lentillifera</i> J. Agardh, Habit; scale bar = 3 cm.	145
Photo 23 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>laetevirens</i> Montagne (Weber-van Bosse), Habit; scale bar = 3 cm.	145
Photo 24 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>laetevirens</i> forma <i>caespitosa</i> Svedelius, Habit; scale bar = 2 cm.	145
Photo 25 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>laetevirens</i> forma <i>laxa</i> (Greville) Weber-van Bosse, Habit; scale bar = 2 cm.	146
Photo 26 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>macrophysa</i> (Sonder ex Kützing) W.R. Taylor, Habit; scale bar = 2 cm.	146
Photo 27 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>occidentalis</i> (J. Agardh) Børgesen, Habit; scale bar = 2 cm.	146
Photo 28 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>peltata</i> (Lamouroux) Eubank. Habit; scale bar = 3 cm.	146
Photo 29 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>racemosa</i> (Turner) Weber-van Bosse, Habit; scale bar = 2 cm.	147
Photo 30 - <i>Caulerpa racemosa</i> (Forsskål) J. Agardh var. <i>turbinata</i> (J. Agardh) Eubank, Habit; scale bar = 3 cm.	147
Photo 31 - <i>Caulerpa serrulata</i> (Forsskål) J. Agardh var. <i>serrulata</i> forma <i>lata</i> (Weber-van Bosse) Tseng, Habit; scale bar = 2 cm.	147
Photo 32 - <i>Caulerpa sertularioides</i> (S. Gmelin) Howe, Habit; scale bar = 3 cm.	147

Photo 33 - <i>Caulerpa taxifolia</i> (Vahl) C. Agardh, Habit; scale bar = 3 cm.	148
Photo 34 - <i>Caulerpa verticillata</i> J. Agardh, Habit; scale bar = 2 cm.	148
Photo 35 - <i>Codium arabicum</i> Kützinger, Habit; scale bar = 3 cm.	148
Photo 36 - <i>Codium geppiorum</i> O. Schmidt, Habit; scale bar = 2 cm.	148
Photo 37 - <i>Codium taylorii</i> P. Silva, Habit; scale bar = 3 cm.	149
Photo 38 - <i>Halimeda discoidea</i> Decaisne, Habit; scale bar = 3 cm.	149
Photo 39 - <i>Halimeda gracilis</i> Harvey ex J. Agardh, Habit; scale bar = 3 cm.	149
Photo 40 - <i>Halimeda opuntia</i> (Linnaeus) Lamouroux, Habit; scale bar = 3 cm.	149
Photo 41 - <i>Avrainvillea amadelpa</i> (Montagne) Gepp&Gepp, Habit; scale bar = 3 cm.	149
Photo 42 - <i>Dictyopteris delicatula</i> Lamouroux, Habit; scale bar = 2 cm.	150
Photo 43 - <i>Dictyota ceylanica</i> Kützinger, Habit; scale bar = 3 cm.	150
Photo 44 - <i>Dictyota dumosa</i> Børgesen, Habit; scale bar = 2 cm.	150
Photo 45 - <i>Padina tetrastromatica</i> Hauck, Habit; scale bar = 2 cm.	150
Photo 46 - <i>Padina</i> sp., Habit; scale bar = 3 cm.	151
Photo 47 - <i>Chnoospora minima</i> (Hering) Papenfuss, Habit; scale bar = 3 cm.	151
Photo 48 - <i>Sargassum cervicorne</i> Greville, Habit; scale bar = 4 cm.	151
Photo 49 - <i>Sargassum cristaeifolium</i> C. Agardh, Habit; scale bar = 4 cm.	151
Photo 50 - <i>Sargassum polycystum</i> C. Agardh, Habit; scale bar = 4 cm.	152
Photo 51 - <i>Sargassum wightii</i> Greville, Habit; scale bar = 4 cm.	152
Photo 52 - <i>Erythrotrichia carnea</i> (Dillwyn) J. Agardh, Habit; scale bar = 40 µm.	152
Photo 53 - <i>Acrochaetium savianum</i> (Meneghini) Nägeli, Habit; scale bar = 40 µm.	152
Photo 54 - <i>Galaxaura</i> sp.?, Habit; scale bar = 2 cm.	153
Photo 55 - <i>Scinaia carnosa</i> (Kützinger) J. Agardh, Habit; scale bar = 3 cm.	153
Photo 56 - <i>Scinaia furcellata</i> (Turner) J. Agardh, Habit; scale bar = 3 cm.	153
Photo 57 - <i>Tricleocarpa fragilis</i> (Linnaeus) Huisman & Townsend, Habit; scale bar = 3 cm.	153
Photo 58 - <i>Dermonema virens</i> (J. Agardh) Pedroche & Vila Ortíz, Habit; scale bar = 3 cm.	154
Photo 59 - <i>Gelidium micropterum</i> Kützinger, Habit; scale bar = 2 cm.	154
Photo 60 - <i>Gelidium</i> sp. 1, Habit; scale bar = 2 cm.	154
Photo 61 - <i>Gelidium</i> sp. 2, Habit; scale bar = 2 cm.	154
Photo 62 - <i>Gelidium</i> sp. 3, Habit; scale bar = 2 cm.	155
Photo 63 - <i>Gelidium</i> sp. 4, Habit; scale bar = 2 cm	155
Photo 64 - <i>Gelidium</i> sp. 5, Habit; scale bar = 3 cm.	155
Photo 65 - <i>Pterocladia heteroplotos</i> (Børgesen) Umamaheswara Rao & Kaliaperumal, Habit; scale bar = 3 cm	155
Photo 66 - <i>Gelidiella acerosa</i> (Forsskål) J. Feldmann & G. Hamel, Habit; scale bar = 3 cm.	156
Photo 67 - <i>Gelidiella</i> sp., Habit; scale bar = 2 cm.	156
Photo 68 - <i>Gracilaria arcuata</i> Zanardini, Habit; scale bar = 2 cm.	156
Photo 69 - <i>Gracilaria canaliculata</i> Sonder, Habit; scale bar = 3 cm.	156
Photo 70 - <i>Gracilaria corticata</i> (J. Agardh) J. Agardh, Habit; scale bar = 3 cm.	157
Photo 71 - <i>Gracilaria foliifera</i> (Forsskål) Børgesen, Habit; scale bar = 3 cm.	157
Photo 72 - <i>Gracilaria hikkaduensis</i> Durairatnam, Habit; scale bar = 3 cm.	157
Photo 73 - <i>Gracilaria</i> sp., Habit; scale bar = 2 cm.	157
Photo 74 - <i>Asparagopsis taxiformis</i> (Delile) Trevisan, Habit; scale bar = 3 cm.	158

Photo 75 - <i>Carpopeltis maillardii</i> (Montagne & Millardet) Chiang, Habit; scale bar = 3 cm.	158
Photo 76 - <i>Grateloupia filicina</i> (Lamouroux) C. Agardh, Habit; scale bar = 4 cm.	158
Photo 77 - <i>Grateloupia lithophila</i> Børgesen, Habit; scale bar = 3 cm.	158
Photo 78 - <i>Polyopes ligulatus</i> (Harvey ex Kützing) De Toni, Habit; scale bar = 3 cm.	159
Photo 79 - <i>Portieria hornemannii</i> (Lyngbye) P. Silva, Habit; scale bar = 2 cm.	159
Photo 80 - <i>Amphiroa anceps</i> (Lamarck) Decaisne, Habit; scale bar = 3 cm.	159
Photo 81 - <i>Amphiroa fragilissima</i> (Linnaeus) Lamouroux, Habit; scale bar = 2 cm.	159
Photo 82 - <i>Amphiroa</i> sp., Habit; scale bar = 2 cm.	160
Photo 83 - <i>Cheilosporum acutilobum</i> (Decaisne) Piccone, Habit; scale bar = 1 cm.	160
Photo 84 - <i>Cheilosporum cultratum</i> (Harvey) Areschoug, Habit; scale bar = 1.5 cm.	160
Photo 85 - <i>Jania adhaerens</i> Lamouroux, Habit; scale bar = 2 cm.	160
Photo 86 - <i>Jania natalensis</i> Harvey var. <i>tenuior</i> Harvey, Habit; scale bar = 3 cm.	161
Photo 87 - <i>Chondracanthus acicularis</i> (Roth) Fredericq, Habit; scale bar = 3 cm.	161
Photo 88 - <i>Hypnea pannosa</i> J. Agardh, Habit; scale bar = 1 cm.	161
Photo 89 - <i>Hypnea</i> sp., Habit; scale bar = 2 cm.	161
Photo 90 - <i>Ahnfeltiopsis pygmaea</i> (J. Agardh) P. Silva & DeCew, Habit; scale bar = 2 cm.	162
Photo 91 - <i>Ahnfeltiopsis vermicularis</i> (C. Agardh) P. Silva & DeCew, Habit; scale bar = 2 cm.	162
Photo 92 - <i>Sarcodia montagneana</i> (J. Hooker & Harvey) J. Agardh, Habit; scale bar = 5 cm.	162
Photo 93 - <i>Euryomma platycarpa</i> Schmitz, Habit; scale bar = 2 cm.	162
Photo 94 - <i>Champia parvula</i> (C. Agardh) Harvey, Habit; scale bar = 2 cm.	163
Photo 95 - <i>Botryocladia skottsbergii</i> (Børgesen) Levring, Habit; scale bar = 2 cm.	163
Photo 96 - <i>Gelidiopsis repens</i> (Kützing) Weber-van Bosse, Habit; scale bar = 3 cm.	163
Photo 97 - <i>Gelidiopsis variabilis</i> (J. Agardh) Schmitz, Habit; scale bar = 3 cm.	163
Photo 98 - <i>Anotrichium tenue</i> (C. Agardh) Nägeli, Habit; scale bar = 2 cm.	164
Photo 99 - <i>Centroceras clavulatum</i> (C. Agardh) Montagne, Habit; scale bar = 2 cm.	164
Photo 100 - <i>Ceramium</i> sp. 1, Habit; scale bar = 230 μ m.	164
Photo 101 - <i>Ceramium</i> sp. 2, Habit; scale bar = 190 μ m.	164
Photo 102 - <i>Griffithsia</i> sp., Habit; scale bar = 3 cm.	165
Photo 103 - <i>Microcladia gloria-spei</i> Stegenga, Habit; scale bar = 2 cm.	165
Photo 104 - <i>Spyridia</i> sp., Habit; scale bar = 3 cm.	165
Photo 105 - <i>Wrangelia penicillata</i> C. Agardh, Habit; scale bar = 3 cm.	165
Photo 106 - <i>Dictyurus purpurascens</i> Bory de Saint-Vincent, Habit; scale bar = 3 cm.	165
Photo 107 - <i>Acrosorium venulosum</i> (Zanardini) Kylin, Habit; scale bar = 2 cm.	166
Photo 108 - <i>Claudea</i> sp., Habit; scale bar = 1 cm.	166
Photo 109 - <i>Cottoniella filamentosa</i> (Howe) Børgesen, Habit; scale bar = 2 cm.	166
Photo 110 - <i>Martensia fragilis</i> Harvey, Habit; scale bar = 2 cm.	166
Photo 111 - <i>Nitophyllum marginale</i> (Kützing) J. Agardh, Habit; scale bar = 2 cm.	167
Photo 112 - <i>Vanvoorstia</i> sp., Habit; scale bar = 1 cm.	167
Photo 113 - <i>Acanthophora</i> sp., Habit; scale bar = 1 cm.	167
Photo 114 - <i>Chondria</i> sp., Habit; scale bar = 2 cm.	167
Photo 115 - <i>Herposiphonia</i> sp., Habit; scale bar = 400 μ m.	168

Photo 116 - <i>Laurencia ceylanica</i> J. Agardh, Habit; scale bar = 3 cm.	168
Photo 117 - <i>Laurencia heterolada</i> Harvey, Habit; scale bar = 2 cm.	168
Photo 118 - <i>Laurencia obtusa</i> (Hudson) Lamouroux Habit; scale bar = 3 cm.	168
Photo 119 - <i>Laurencia</i> sp. 1, Habit; scale bar = 1 cm.	169
Photo 120 - <i>Laurencia</i> sp. 2, Habit; scale bar = 2 cm.	169
Photo 121 - <i>Leveillea jungermannioides</i> (Hering & G. Martens) Harvey, Habit; scale bar = 3 cm.	169
Photo 122 - <i>Polysiphonia</i> sp., Habit; scale bar = 2 cm.	169