

CONTENTS

ABSTRACT.....	ii
ZUSAMMENFASSUNG.....	iv
ACKNOWLEDGEMENTS.....	vi
CONTENTS.....	vii
LIST OF FIGURES.....	xii
LIST OF TABLES.....	xv
ABBREVIATIONS.....	xvii
1 INTRODUCTION.....	1
1.1 Quality of floricultural products.....	2
1.2 Extent of postharvest losses.....	3
1.3 Handling of cut flowers and foliage stems.....	4
<i>1.3.1 Factors affecting postharvest quality.....</i>	<i>4</i>
1.3.1.1 Variety.....	4
1.3.1.2 Preharvest factors.....	5
1.3.1.3 Food quality.....	5
1.3.1.4 Light.....	6
1.3.1.5 Water supply.....	6
1.3.1.6 Water quality.....	8
1.3.1.7 Growth tropism.....	8
1.3.1.8 Mechanical injury.....	9
1.3.1.9 Exogenous and endogenous ethylene.....	9
1.3.1.10 Physiological deterioration.....	11
1.3.1.11 Diseases.....	11
1.4 Quality evaluation of cut flowers and florist green.....	11
<i>1.4.1 Quality evaluation criteria of ornamentals.....</i>	<i>12</i>
1.4.1.1 Growth and development.....	12
1.4.1.1.1 Size.....	14
1.4.1.1.2 Shape.....	14
1.4.1.1.3 The stem.....	14
1.4.1.1.4 The foliage.....	15
1.4.1.2 Senescence.....	15
1.4.1.2.1 Opening and longevity.....	16
1.4.1.2.2 Shattering.....	16
1.4.1.2.3 Wilting.....	16
1.4.1.3 Colour.....	17
1.4.1.3.1 Blueing of petals.....	17
1.4.1.3.2 Yellowing of leaves.....	17
1.4.1.4 Fragrance.....	18
2 OBJECTIVES AND ANTICIPATED BENEFITS.....	19
2.1 Experimental design.....	20
3 LITERATURE REVIEW.....	22
3.1 Postharvest treatments for cut flowers and florist greens.....	22

3.1.1	<i>Pulsing treatments</i>	22
3.1.1.1	Sugar as a pulsing treatment.....	22
3.1.1.2	Silver thiosulphate (STS) treatment.....	23
3.1.1.3	Other pulsing treatments.....	24
3.1.2	<i>Use of floral preservatives</i>	25
3.1.2.1	Sugar.....	25
3.1.2.2	An acidifier.....	27
3.1.2.3	A biocide.....	28
3.1.2.3.1	Hydroxyquinoline sulphate.....	29
3.1.2.3.2	Aluminium sulphate.....	30
3.1.3	<i>Effects of solutes in vase water</i>	31
3.1.3.1	Sugars in the vase solution	31
3.1.3.1.1	Deleterious effects of sugars for cut flowers.....	34
3.1.3.2	Use of commercial floral preservatives	34
3.1.3.3	Effects of antimicrobial compounds.....	35
3.1.3.4	Effects of antibiotics.....	36
3.1.4	<i>Cold storage</i>	36
3.1.4.1	Storage temperature.....	37
3.1.4.2	Storage method.....	39
3.1.5	<i>Plant growth regulators</i>	40
3.1.5.1	Gibberellic acid (GA ₃).....	40
3.1.5.2	Cytokinin.....	41
3.1.5.3	Abscisic acid.....	41
3.1.6	<i>Stem-end treatments</i>	42
3.1.6.1	Heat treatment	42
3.1.6.2	Ultrasonic technique.....	43
3.1.7	<i>Regulation of light</i>	43
3.2	Water relations of cut flowers and foliage stems	44
3.2.1	<i>Vase water: tap water or distilled water</i>	45
3.2.2	<i>Adding minerals to vase water</i>	45
3.3	Water potential and turgor	46
3.4	Transpiration and water uptake	49
3.4.1	<i>Stomatal transpiration</i>	52
3.4.2	<i>Cuticular transpiration</i>	53
3.4.3	<i>Accumulation of proline</i>	54
3.5	Vascular occlusion of flowers	54
3.5.1	<i>Deposition of lignin, suberin and tannin</i>	57
3.5.2	<i>Deposition of gum in conduits by xylem cells</i>	57
3.5.3	<i>Exudation of latex and other substances at the cut surface</i>	58
3.5.4	<i>Evaluation of causes of vascular blockage</i>	60
3.6	Microbial growth	64
4	INSTRUMENTS	66
4.1	Chlorophyll fluorometer (Photosynthetic Yield Analyser)	66
4.2	Colourimeter	70
4.3	Refractometer	71
4.4	Vapour Pressure Osmometer	72
4.4.1	<i>Theory of operation</i>	73

5	EFFECTS OF COLD STORAGE AND FLORAL SOLUTIONSON POSTHARVEST FLOWER KEEPING QUALITY OF GLORIOSA (<i>Gloriosa superba</i> L.).....	76
5.1	Abstract.....	76
5.2	Introduction.....	77
5.3	Materials and methods.....	78
	5.3.1 <i>Gloriosa</i> cultivation	78
	5.3.2 Preparation of flowers.....	78
	5.3.3 Preparation of floral solutions/Treatments.....	79
	5.3.4 Effects of storage temperature, duration and method for <i>Gloriosa</i> postharvest quality (Expt 1)	79
	5.3.5 Effects of floral preservatives on keeping quality of <i>Gloriosa</i> flowers (Expt 2).....	79
5.4	Assessments.....	80
	5.4.1 Fresh weight and vase life	80
	5.4.2 Chlorophyll fluorescence	80
	5.4.3 Colour.....	80
	5.4.4 Osmotic potential and soluble solid content ($^{\circ}$ Brix).....	81
	5.4.5 Statistical analysis	81
5.5	Results and discussion	81
	5.5.1 Changes in fresh weight and vase life (Expt 1).....	81
	5.5.2 Vase life and fresh weight changes on floral preservative solutions (Expt 2)	85
	5.5.3 Chlorophyll fluorescence (Expt 1).....	86
	5.5.4 Chlorophyll fluorescence (Expt 2).....	88
	5.5.5 Petal colour (Expt 1).....	89
	5.5.6 Petal colour (Expt 2).....	90
	5.5.7 Leaf colour (Expt 1)	90
	5.5.8 Leaf colour (Expt 2)	91
	5.5.9 Osmolality and $^{\circ}$ brix values	92
5.6	Conclusion	94
5.7	Acknowledgements	94
5.8	References	95
5.9	Appendices	97
6	POSTHARVEST QUALITY OF CUT ANTHURIUM FLOWERS (<i>Anthurium andraeanum</i> L.) AFTER LONG-DISTANCE SHIPMENT	102
6.1	Abstract	102
6.2	Introduction	103
6.3	Methods and materials	105
6.4	Results and discussion	107
	6.4.1 Effects of floral preservatives on vase solution and fresh weight	107
	6.4.2 Water uptake, transpiration and accumulation during vase period	109
	6.4.3 Osmolality and $^{\circ}$ Brix values	110
	6.4.4 Flower colour	116
	6.4.4.1 Spathe colour	116
	6.4.4.2 Spadix colour	117
	6.4.5 General discussion.....	119
6.5	Conclusion.....	125

6.6	References	126
6.7	Appendices	128
7	EFFECTS OF PRESERVATIVE SOLUTIONS ON VASE-WATER AND POSTHARVEST QUALITY MAINTENANCE OF CUT TULIP FLOWERS	136
7.1	Summary	136
7.2	Zusammenfassung.....	137
7.3	Introduction	138
7.4	Methods and materials.....	139
	7.4.1 Flowers preparation	139
	7.4.2 Preparation of vase solutions	139
	7.4.3 Vase period conditions	140
	7.4.4 Statistical design	140
	7.4.5 Fresh weight measurements	140
	7.4.6 Measurement of petal and leaf colour	140
	7.4.7 Chlorophyll fluorescence measurement	141
	7.4.8 Measurement of dry weight and water content	141
7.5	Results and discussion	141
	7.5.1 Vase life and fresh weight	141
	7.5.2 Petal and leaf colour	143
	7.5.3 Chlorophyll fluorescences	146
	7.5.4 Dry weight and water content.....	147
7.6	Conclusion.....	150
7.7	Acknowledgement.....	150
7.8	References.....	150
7.9	Addresses of authors.....	152
7.10	Appendices.....	152
8	POSTHARVEST HANDLING OF CUT KNIPHOFIA (<i>Kniphofia uvaria</i> L. 'Flamenco') FLOWERS	156
8.1	Abstract	156
8.2	Introduction	157
8.3	Methods and materials	158
	8.3.1 Experiment 1 - Cold storage	159
	8.3.2 Experiment 2 - Vase water additives	159
	8.3.3 Assessments	159
	8.3.4 Data analysis.....	160
8.4	Results.....	160
	8.4.1 Experiment 1 - Cold storage	160
	8.4.2 Experiment 2 - Vase water additives	161
	8.4.2.1 Fresh weight and vase life	161
	8.4.2.2 Osmolality and °brix values	162
	8.4.2.3 Transpiration and water uptake.....	164
	8.4.2.4 Flower colour	164
8.5	Discussion	166
	8.5.1 Experiment 1 – Cold storage	166
	8.5.2 Experiment 2 – Vase water additives	167

8.6	Conclusion	168
8.7	Acknowledgements	169
8.8	References	169
8.9	Appendices	170
9	CROTON (<i>Codiaeum variegatum</i> (L.) A. Juss. 'Excellent'): AN EVALUATION OF FOLIAGE PERFORMANCE AFTER SHIPMENT AND OF VASE WATER TREATMENTS TO MAINTAIN VASE LIFE...	178
9.1	Abstract	178
9.2	Introduction.....	179
9.3	Methods and materials.....	180
	9.3.1 <i>Harvesting and transportation</i>	180
	9.3.2 <i>Preparation of floral solutions/Treatments</i>	181
9.4	Results	182
	9.4.1 <i>Vase life and fresh weight</i>	182
	9.4.2 <i>Osmotic potential and soluble solid concentration (°brix)</i>	187
	9.4.3 <i>Transpiration and uptake</i>	187
	9.4.4 <i>Chlorophyll fluorescence</i>	188
	9.4.5 <i>Foliage colour</i>	189
9.5	Discussion	193
9.6	Conclusion.....	195
9.7	References.....	195
9.8	Appendices.....	195
10	EFFECTS OF VASE WATER ADDITIVES ON POSTHARVEST KEEPING QUALITY OF (<i>Cordyline terminalis</i> (L.) Kunth 'Mike silver') FOLIAGE AFTER TRANSPORTATION.....	212
10.1	Abstract	212
10.2	Introduction	213
10.3	Methods and materials	214
	10.3.1 <i>Harvesting and transportation of cut foliage stems</i>	214
	10.3.2 <i>Preparation of floral preservatives/treatments</i>	214
10.4	Results and discussion	216
10.5	Conclusion	231
10.6	Acknowledgements.....	231
10.7	References.....	231
10.8	Appendices.....	233
11	GENERAL DISCUSSION AND SYNTHESIS.....	241
	11.1 General discussion	241
	11.2 Recommendations	245
	11.3 Future work	250
12	REFERENCES.....	251
	Personal data.....	275

LIST OF FIGURES

Figure 1.1	Criteria of cut carnations set by the Society of American Florists.....	12
Figure 1.2	Quality changes of horticultural products in the postharvest period.....	13
Figure 2.1	Sample arrangement of an experiment.....	21
Figure 3.1	Schematical representation of the water relations of a cut flower.....	56
Figure 4.1	Chlorophyll fluorometer (PAM Fluorometry).....	66
Figure 4.2	Chroma meter.....	71
Figure 4.3	Refractometer PR-101, Atago, Japan.....	71
Figure 5.1	Fresh weight changes of inflorescences stored in storage.....	83
Figure 5.2	Changes of fresh weight of flowers (dry storage) during vase period....	84
Figure 5.3	Relationship among chlorophyll fluorescence components of <i>Gloriosa</i> cut flowers placed in SVS during vase period.....	89
Figure 5.4	Variation of leaf lightness (L^*) and chroma (C^*).....	92
Figure 5.5	Variation of petal lightness (L^*) and chroma (C^*).....	93
Figure 5.6	Harvested <i>Gloriosa</i> flowers.....	97
Figure 5.7	Flowers in vase solutions and Chilling injury.....	97
Figure 5.8	<i>Gloriosa</i> in the field during summer, 2002.....	97
Figure 5.9	Relationship among vase solutions, vase life and fresh weight.....	98
Figure 5.10	Relationship among vase solution, vase life and water uptake.....	98
Figure 5.11	Relationship among vase solution, vase life and vase osmolality	99
Figure 5.12	Relationship among vase solution, fresh weight and water uptake	99
Figure 5.13	Relationship among vase solution, vase life and flower chroma	100
Figure 5.14	Relationship among vase solution, vase life and chlorophyll yield	100
Figure 6.1	Effects of floral preservatives and stem end treatments on vase life and on percentage of dry weight.....	115
Figure 6.2	Water accumulation observed in stem-end treated flowers	116
Figure 6.3	Variation of spathe L^* (A), a^* (B) and b^* (C) during vase period	118
Figure 6.4	Variation of spadix L^* (X), a^* (Y) and b^* (Z) during vase period.....	120
Figure 6.5	Preparation of <i>Anthurium</i> flowers for shipment in Sri Lanka.....	128
Figure 6.6	<i>Anthurium</i> flowers placed in different vase solutions.	128
Figure 6.7	Vase life evaluation. A - Spathe damage. B - Spadix damage.....	128
Figure 6.8	Relationships between vase period and fresh weight of flowers.....	129
Figure 6.9	Relationships between vase period and water uptake	130
Figure 6.10	Relationships between vase period and water transpiration rates	131
Figure 6.11	Relationship of vase solution, stem-end treatment and vase life	132
Figure 6.12	Relationship of vase solution, stem-end treatment and fresh weight.....	132
Figure 6.13	Interactive effect of vase solution, stem treatment and transpiration.....	133
Figure 6.14	Interactive effect of vase solution, stem treatment and water uptake.....	133
Figure 6.15	Interactive effect of vase solution, stem treatment and spathe chroma...	134
Figure 6.16	Interactive effect of vase solution, stem treatment and spathe °hue.....	134

Figure 7.1	Relative fresh weight changes of tulip flowers	142
Figure 7.2	Variation of percentage leaf dry weight of tulip flowers.....	148
Figure 7.3	Percentage flower dry weight changes in different vase solutions.....	148
Figure 7.4	Effect of various vase solutions on water content of leaves	149
Figure 7.5	Variation of flower water content a percentage.....	149
Figure 7.6	Tulip plants in the field	152
Figure 7.7	Tulip blooms in the field and in vase solutions	152
Figure 7.8	Relationship between vase period and fresh weight.....	153
Figure 7.9	Relationship between vase period and chlorophyll yield.....	154
Figure 8.1	Variation of osmotic potential of vase life.....	163
Figure 8.2	Effects of vase solutions on <i>Kniphofia</i> flower colour components.....	166
Figure 8.3	Relationship between vase period and fresh weight of croton.....	171
Figure 8.4	Field grown <i>Kniphofia uvaria</i>	172
Figure 8.5	Relationship among vase solution, vase life and fresh weight.....	172
Figure 8.6	Relationship among vase solution, vase life and vase osmolality.....	173
Figure 8.7	Relationship among vase solution, vase life and flower osmolality...	173
Figure 8.8	Relationship among vase solution, vase life and stem osmolality.....	174
Figure 8.9	Relationship among vase solution, vase life and flower °brix.....	174
Figure 8.10	Relationship among vase solution, vase life and flower L^*	175
Figure 8.11	Relationship among vase solution, vase life and flower a^*	175
Figure 8.12	Relationship among vase solution, vase life and <i>flower b*</i>	176
Figure 8.13	Relationship among vase solution, flower brix and flower L^*	176
Figure 9.1	Dry weight and moisture content of cut stems.....	183
Figure 9.2	Relationship between leaf chroma and fresh weight	184
Figure 9.3	Relationship between leaf °hue and fresh weight.....	185
Figure 9.4	Relationship between chlorophyll yield and fresh weight.....	186
Figure 9.5	Effect of vase solutions on components of fluorescence.....	190
Figure 9.6	Effect of vase solutions on chroma value.....	192
Figure 9.7	Variation of °hue during vase period.....	192
Figure 9.8	Relationship between leaf chroma and F_o	197
Figure 9.9	Relationship between leaf chroma and F_m	198
Figure 9.10	Relationship between leaf chroma and F_v	199
Figure 9.11	Relationship between leaf chroma and chlorophyll yield.....	200
Figure 9.12	Relationship between °hue and F_o	201
Figure 9.13	Relationship between °hue and F_m	202
Figure 9.14	Relationship between °hue and F_v	203
Figure 9.15	Relationship between °hue and chlorophyll yield.....	204
Figure 9.16	Croton stems placed in vase solutions.....	205
Figure 9.17	Relationship among vase solution, vase life and fresh weight.....	205
Figure 9.18	Relationship among vase solution, vase life and transpiration rate....	206
Figure 9.19	Relationship among vase solution, vase life and initial uptake.....	206
Figure 9.20	Relationship among vase solution, vase life and uptake on day 15.....	207
Figure 9.21	Relationship among vase solution, vase life and initial chroma.....	207
Figure 9.22	Relationship among vase solution, vase life and end of life chroma...	208
Figure 9.23	Relationship among vase solution, vase life and initial °hue.....	208
Figure 9.24	Relationship among vase solution, vase life and end of life °hue.....	209

Figure 9.25	Relationship among vase solution, vase life and initial yield.....	209
Figure 9.26	Relationship among vase solution, vase life and end of life yield.....	210
Figure 9.27	Relationship among vase solution, vase life and leaf middle °brix.....	210
Figure 10.1	Relationship between osmotic potential and vase life.....	219
Figure 10.2	Relationship between °brix value and vase life.....	220
Figure 10.3	Changes in water accumulation of <i>Cordyline</i> cut stems.....	222
Figure 10.4	Relationship between vase period and water uptake.....	223
Figure 10.5	Relationship between vase period and transpiration rate.....	224
Figure 10.6	Effect of vase solutions on leaf lightness.....	225
Figure 10.7	Relationship between vase period and leaf lightness.....	226
Figure 10.8	Relationship between vase period and chroma value.....	227
Figure 10.9	Relationship between °hue and vase life.....	228
Figure 10.10	Effect of vase solutions on changes of <i>Fv</i>	229
Figure 10.11	Relationship between the fluorescence yield and vase life.....	230
Figure 10.12	<i>Cordyline</i> stems placed in vase solutions.....	234
Figure 10.13	Relationship among vase solution, vase life and weight on day 21....	234
Figure 10.14	Relationship among vase solution, vase life and weight at the end....	235
Figure 10.15	Relationship among vase solution, vase life and initial transpiration..	235
Figure 10.16	Relationship among vase solution, vase life and end transpiration....	236
Figure 10.17	Relationship among vase solution, vase life and initial uptake.....	236
Figure 10.18	Relationship among vase solution, vase life and uptake at the end....	237
Figure 10.19	Relationship among vase solution, vase life and initial chroma.....	237
Figure 10.20	Relationship among vase solution, vase life and chroma on day 14...	238
Figure 10.21	Relationship among vase solution, vase life and chroma at the end...	238
Figure 10.22	Relationship among vase solution, vase life and initial °hue.....	239
Figure 10.23	Relationship among vase solution, vase life and °hue at the end.....	239
Figure 10.24	Relationship among vase solution, vase life and initial yield.....	240
Figure 10.25	Relationship among vase solution, vase life and yield at the end.....	240
Figure 11.1	Changing quality of <i>G. superba</i> during cold storage.....	242
Figure 11.2	Relationship of vase-water-additives and cut flower/foilage species..	243
Figure 11.3	Changes of water uptake and transpiration during vase period.....	244
Figure 11.4	The outcome of this research series.....	247
Figure 11.5	Contribution of flower/foilage quality monitoring parameters.....	248

LIST OF TABLES

Table 5.1	Effect of storage temperature on fresh weight in cold storage, vase life, Osmolality and °Brix value for wet stored <i>Gloriosa</i> flowers.....	82
Table 5.2	Effect of storage temperature on fresh weight in cold storage, vase life, Osmolality and °Brix value for dry stored <i>Gloriosa</i> flower.....	83
Table 5.3	Weight changes of <i>Gloriosa</i> flowers, flower vase life and vase osmolality of floral preservatives of experiment 2.....	85
Table 5.4	Effect of storage temperature and method for variation of chlorophyll fluorescence parameters during vase period.....	87
Table 5.5	Pearson correlation co-efficient among F_o , F_m , F_v and yield of wet stored flowers kept at 4 °C and 13 °C.....	87
Table 5.6	Changes in chlorophyll fluorescence parameters of fresh flowers placed in floral preservatives at the end of vase life.....	88
Table 5.7	Effect of temperature for colour change during vase period of <i>Gloriosa</i> stored for 7 days under wet cold storage.....	90
Table 5.8	Variation of leaf L^* , chroma and hue angle during the vase period	91
Table 5.9	Osmotic potential and soluble solid variation of <i>Gloriosa</i> leaves, flowers and stems at the end of vase life.....	93
Table 5.10	Pearson correlation co-efficient between °brix and osmotic potential of <i>Gloriosa</i> flowers at the end of vase life of experiment 2.....	94
Table 6.1	Effects of floral preservatives and stem treatments on water uptake	111
Table 6.2	Effects of floral preservatives and stem treatments on transpiration.....	112
Table 6.3	Osmolality variation of flower and stems of <i>Anthurium</i>	113
Table 6.4	°Brix values of spathe and stem at termination.....	114
Table 6.5	Effects of floral preservatives and stem treatments on spathe chroma ...	121
Table 6.6	Effects of stem treatments and floral preservatives on spadix chroma ..	122
Table 6.7	Effects of stem-end treatments and floral preservatives on °hue.....	123
Table 6.8	Effects of stem treatments and floral preservatives on spadix °hue	124
Table 7.1	Vase life of cut tulips placed in different vase solutions.....	142
Table 7.2	Tulips leaf and petal chroma obtained in different vase solutions.....	144
Table 7.3	Tulips leaf and petal °hue obtained in different vase solutions.....	144
Table 7.4	Leaf and petal lightness (L^*) values.....	145
Table 7.5	Variation of F_v and Chlorophyll yield of tulips.....	147
Table 8.1	Effect of storage temperature on vase life, geotropic bending and fresh weight changes during cold storage of <i>K. uvaria</i>	161
Table 8.2	Effect of vase solutions on variation of fresh weight of <i>Kniphofia</i> during vase period.....	162
Table 8.3	Effects of vase solutions on osmolality and total soluble solids (°Brix) at end of vase life of <i>K. uvaria</i> ‘Flamenco’ cut stems.....	163
Table 8.4	Effect of vase solutions on transpiration and water uptake rates on day 1, 3 and end of vase life of kniphofia cut stems	164
Table 8.5	Pearson correlation between vase life and other quality traits	170

Table 8.6	ANOVA of measured quality parameters of <i>Kniphofia uvaria</i> L. 'Flamenco' on day 1, day 3 after treatment and end of vase life.....	170
Table 9.1	Preparation of vase solutions.....	181
Table 9.2	Effect of vase solutions on vase life, and leaf and stem osmotic potential of <i>Codiaeum variegatum</i> 'Excellent'.....	187
Table 9.3	Variation of leaf and stem soluble solid concentration (°Brix).....	188
Table 9.4	Effects of vase solutions on transpiration and water uptake rates on day 1, 15 and end of vase life of croton cut stems.....	188
Table 9.5	Effects of vase solutions on chlorophyll yield on day 1, 7, 14, 21 and end of vase life of croton cut stems.....	189
Table 9.6	Effects of vase solutions on croton leaf lightness on day 1, 7, 14, 21 and end of vase life of croton cut stems.....	191
Table 10.1	Effects of vase solutions on osmotic potential, fresh weight and vase life of <i>C. terminalis</i> 'Mike silver' cut stems.....	217
Table 10.2	Effects of floral solution on changes of °Brix value of leaves and stems of <i>C. terminalis</i>	218
Table 10.3	Effects of vase solutions on transpiration and water uptake rates on day 1, 15 and end of vase life of <i>Cordyline</i> cut stems.....	221
Table 10.4	Effect of vase solutions on changes of variable fluorescence (<i>Fv</i>) during vase period.....	229
Table 10.5	Effect of vase-water treatment on postharvest quality parameters of <i>Cordyline</i> during vase period.....	233
Table 11.1	Composition of Vienna tap water.....	249
Table 11.2	pH, redox potential, electrical conductivity and osmolality of vase solutions.....	249