



University of Ruhuna - Faculty of Medicine

Allied Health Sciences Degree Programme

B.Sc. Nursing Degree Programme

6th End Semester Examination

NGY 3233- Gynecology and Obstetrics Nursing II

SEQ paper- Part A

May 2017

Duration: Half (½) hour

Index Number

1.

1.1 List two (2) maternal emergencies that can be occur during following phases of pregnancy.

(30 marks)

a. Prepartum

1.
2.

b. Antepartum

1.
2.

c. At delivery

1.
2.

d. Postpartum

1.
2.

1.2. What is Shoulder Dystocia? (10 marks)

1.3. List five (5) risk factors of Shoulder Dystocia. (20 marks)

1.4. Briefly describe the interventions to manage Shoulder Dystocia at the delivery of a baby.

Dr. K G Imendra
BDS, PhD, Senior Lecturer
Coordinator
Nursing Degree Programme
Faculty of Medicine, University of Ruhuna

Library copy



University of Ruhuna - Faculty of Medicine

Allied Health Sciences Degree Programme

B.Sc. Nursing Degree Programme

6th End Semester Examination

NGY 3233- Gynecology and Obstetrics Nursing II

SEQ paper- Part B

May 2017

Duration: Half (½) hour

Index Number

1.1. List four (4) indications of instrumental vaginal deliveries. (20 marks)

.....
.....
.....
.....
.....
.....
.....
.....
.....

1.2. List six (6) complications of forcep delivery. (24 marks)

.....
.....
.....
.....
.....
.....
.....
.....

1.3. Mention three (3) contraindications of Ventouse delivery. (10 marks)

1.4. Mention five (5) indications of Caesarean Section. (20 marks)

1.5. What are the preoperative preparations for LSCS? (26 marks)

Library

copy

Dr. K G Imendra

BDS, PhD. Senior Lecturer
Coordinator

Nursing Degree Programme
Faculty of Medicine, University



University of Ruhuna - Faculty of Medicine

Allied Health Sciences Degree Programme

B.Sc. Nursing Degree Programme

6th End Semester Examination

NGY 3233- Gynecology and Obstetrics Nursing II

SEQ paper- Part C

May 2017

Duration: Half (½) hour

Index Number

1.

55 years old woman was admitted to gynaecology ward as a referral from the clinic with complaints of slight abdominal pain and progressive protrusion of a mass per vagina. Diagnosis was uterovaginal prolapse and the patient was examined and suggested to do a vaginal hysterectomy.

1.1 Enumerate the grades of the uterovaginal prolapse

(20 marks)

1.2 List five (5) risk factors associated with the above mentioned disease condition. (25 marks)

.....
.....
.....
.....
.....

1.3 List two (2) nursing diagnoses for a patient with the above mentioned condition.

(20 marks)

.....
.....
.....
.....
.....

1.4 List two (2) treatment options available to manage initial stages of the disease.

(10 marks)

.....
.....
.....
.....
.....

1.5 How would you prepare this patient for a vaginal hysterectomy?

(25 marks)

.....
.....
.....
.....
.....

Dr. K G Imendra
BDS, PhD. Senior Lecturer
Coordinator
Nursing Degree Programme
Faculty of Medicine, University of Ruhuna

Library copy



University of Ruhuna - Faculty of Medicine

Allied Health Sciences Degree Programme

B.S., Nursing Degree Programme

6th End Semester Examination

NGY 3233- Gynaecology and Obstetrics Nursing II

SEQ paper- Part D

May 2017

Duration: Half (½) hour

Index Number

1

36 year old woman is presented to the gynaecology clinic with complaints of distended abdomen, with urinary frequency for 5 months. She has no abdominal pain, bowel habits are normal, no dysuria or hematuria. Her menstrual cycles are regular, but always heavy with clots. She is married for five years and having history of subfertility.

Physical examination: Distended abdomen

Smooth firm mass- palpable (Non tender and mobile)
Pale – (Hb-6.9 g/dl)

1.1 What is the diagnosis? (20 marks)

.....
.....
.....

1.2 Mention two (2) further investigations to confirm the diagnosis? (20 marks)

.....
.....
.....

1.3 Briefly describe the medical management of this condition?

(25 marks)

1.4 Write two (2) nursing diagnoses related to the above scenario.

(15 marks)

Dr. K G Imendra
BDS, PhD. Senior Lecturer
Coordinator
Nursing Degree Programme
Faculty of Medicine, University of Ruth...
for each nursing diagnosis.

Library copy

1.5 Mention two (2) nursing interventions for each nursing diagnosis. (20 marks)