

---

## TABLE OF CONTENTS

---

DECLARATION.....	i
TABLE OF CONTENTS .....	ii
TABLE OF FIGURES.....	v
ABBREVIATIONS.....	x
ABSTRACT.....	xiii
GENERAL INTRODUCTION .....	xiv
CHAPTER 1: LITERATURE REVIEW .....	2
1.1. Overview of immune system .....	2
1.2. Immunomodulation .....	30
1.3. Plant based immunomodulators .....	31
1.4. Overview of study plants .....	32
1.5. Experimental investigations on immunomodulatory properties of herbal plants .....	49
CHAPTER 2: ASSESSMENT OF INFLAMMATORY RESPONSE .....	54
2.1. Introduction .....	54
2.2. Objectives.....	56
2.3. Materials and Methods.....	56
2.4. Results .....	60
2.5. Discussion .....	63
2.6. Conclusion.....	63
CHAPTER 3: ASSESSMENT OF HEMATOLOGICAL PARAMETERERS .....	65
3.1. Introduction .....	65
3.2. Objectives.....	69
3.3. Materials and methods .....	69
3.4. Results .....	70
3.5. Discussion .....	80
3.6. Conclusion.....	81

CHAPTER 4: ASSESSMENT OF LEUKOCYTE ADHESION .....	83
4.1. Introduction .....	83
4.2. Objectives.....	85
4.3. Materials and Methods.....	85
4.4. Results .....	86
4.5. Discussion .....	87
4.6. Conclusion.....	87
CHAPTER 5: ASSESSMENT OF CYTOKINE PROFILES .....	89
5.1. Introduction .....	89
5.2. Objectives.....	91
5.3. Materials and Methods.....	91
5.4. Results .....	92
5.5. Discussion .....	103
5.6. Conclusion.....	103
CHAPTER 6: ASSESSMENT OF IMMUNOLOGICAL MEMORY .....	105
6.1. Introduction .....	105
6.2. Objectives.....	108
6.3. Materials and Methods.....	108
6.4. Results .....	109
6.5. Discussion .....	112
6.6. Conclusion.....	112

CHAPTER 7: PLANT EXTRACT TREATMENT AND CYCLOPHOSPHAMIDE INDUCED IMMUNOSUPPRESSION.....	114
7.1. Introduction.....	114
7.2. Objectives.....	116
7.3. Materials and Methods.....	116
7.4. Results.....	117
7.5. Discussion.....	120
7.6. Conclusion.....	120
 CHAPTER 8: SUMMARY.....	 122
8.1. General discussion.....	122
8.2. Conclusion.....	126
 REFERENCES.....	 127
 ANNEXES.....	 142

---

## TABLE OF FIGURES

---

### Chapter 1

Figure 1.1: Hematopoiesis. Differentiation of blood cells from hematopoietic stem cells (Owen, al., 2013).....	3
Figure 1.2: Differentiation of dendritic cells from Hematopoietic stem cells (Owen, et al., 2013).....	7
Figure 1.3: Generation of reactive oxygen and nitrogen species in respiratory burst in phagocytic cells (Owen, et al., 2013). ....	21
Figure 1.4: Morphology of <i>Clerodendrum infortunatum</i> Linn. a: inflorescence; b: leaves and aerial parts; c: seeds; d: immature inflorescence; e: roots. ....	33
Figure 1.5: Morphology of <i>Croton laccifer</i> Linn. a: leaves and aerial parts; b: hairy tender aerial parts; c: roots; d: inflorescence. ....	36
Figure 1.6: Morphology of <i>Solanum surattense</i> Burm. f. a: leaves and aerial parts; b: unripe fruit; c: ripe fruit; d: flower; e: leaf- a closer view; f: roots. ....	38
Figure 1.7: Morphology of <i>Cyperus rotundus</i> Linn. a: whole plant; b: leaf- a closer view; c: inflorescence; d: tubers.....	41
Figure 1.8: Structures of chemical constituents in <i>C. rotundus</i> .....	44
Figure 1.9: Morphology of <i>Alpinia calcarata</i> Roxb. a: leaves and aerial parts; b: shoot rising from rhizome; c: rhizome; d: inflorescence. ....	46
Figure 1.10: Structures of chemical constituents in <i>A. calcarata</i> .....	48

### Chapter 2

Figure 2.1: Overview of the cells and molecular mediators involved in a local acute inflammatory response (Owen, et al., 2013). ....	55
Figure 2.2: CRBC induced paw edema assay: Variation of foot pad thickness at different doses of <i>C. infortunatum</i> extract (50, 100, 200 mg/kg/day PO) and control. ....	60
Figure 2.3: CRBC induced paw edema assay: Variation of foot pad thickness at different doses of <i>C. laccifer</i> extract (50, 100, 200 mg/kg/day PO) and control. ....	61
Figure 2.4: CRBC induced paw edema assay: Variation of foot pad thickness at different doses of <i>S. surattense</i> extract (50, 100, 200 mg/kg/day PO) and control.....	61
Figure 2.5: CRBC induced paw edema assay: Variation of foot pad thickness at different doses of <i>C. rotundus</i> extract (50, 100, 200 mg/kg/day PO) and control. ....	62
Figure 2.6: CRBC induced paw edema assay: Variation of foot pad thickness at different doses of <i>A. calcarata</i> extract (50, 100, 200 mg/kg/day PO) and control.....	62

### Chapter 3

Figure 3.1: Effect of ethanolic plant extracts (50, 100, 200 mg/kg/day PO) on Total WBC count. ....	70
Figure 3.2: Effect of ethanolic plant extracts (50, 100, 200 mg/kg/day PO) on granulocyte count. ....	71
Figure 3.3: Effect of ethanolic plant extracts (50, 100, 200 mg/kg/day PO) on monocyte count. ....	71
Figure 3.4: Effect of ethanolic plant extracts (50, 100, 200 mg/kg/day PO) on lymphocyte count. ....	72
Figure 3.5: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on RBC count. ....	73
Figure 3.6: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Hemoglobin content. ....	73
Figure 3.7: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Hematocrit. ....	74
Figure 3.8: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Mean Corpuscular Volume (MCV). ....	74
Figure 3.9: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Mean Corpuscular Hemoglobin (MCH). ....	75
Figure 3.10: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Mean Corpuscular Hemoglobin Concentration (MCHC). ....	75
Figure 3.11: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Red Cell Distribution Width- Standard Deviation (RDW-SD). ....	76
Figure 3.12: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Red Cell Distribution Width- Coefficient of Variation (RDW-CV). ....	76
Figure 3.13: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on platelet count. ....	77
Figure 3.14: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on Mean Platelet Volume (MPV). ....	78
Figure 3.15: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on platelet Distribution Width (PDW). ....	78
Figure 3.16: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on plateletcrit (PCT). ....	79
Figure 3.17: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on platelet Large Cell Ratio (P-LCR). ....	79

## Chapter 4

Figure 4.1: Leukocyte recruitment cascade (Kenneth, et al., 2012). .....	84
Figure 4.2: Effect of ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on granulocyte adhesion to nylon fibers.....	86

## Chapter 5

Figure 5.1: Overview of intercellular communication mediated by cytokines (Owen, et al., 2013).....	90
Figure 5.2: Standard graph of absorbance vs. concentration for IL-1 $\beta$ . Main wavelength: 450nm; Correction wavelength: 570nm. ....	92
Figure 5.3: Standard graph of absorbance vs. concentration for IL-4. Main wavelength: 450nm; Correction wavelength: 570nm. ....	93
Figure 5.4: Standard graph of absorbance vs. concentration for IL-6. Main wavelength: 450nm; Correction wavelength: 570nm. ....	93
Figure 5.5: Standard graph of absorbance vs. concentration for IL-10. Main wavelength: 450nm; Correction wavelength: 570nm. ....	94
Figure 5.6: Standard graph of absorbance vs. concentration for IL-12. Main wavelength: 450nm; Correction wavelength: 570nm. ....	94
Figure 5.7: Standard graph of absorbance vs. concentration for IFN- $\gamma$ . Main wavelength: 450nm; Correction wavelength: 570nm. ....	95
Figure 5.8: Standard graph of absorbance vs. concentration for TNF- $\alpha$ Main wavelength: 450nm; Correction wavelength: 570nm. ....	95
Figure 5.9: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IL-1 $\beta$ in response to antigen induced inflammation in comparison with the control rats.....	96
Figure 5.10: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IL-4 in response to antigen induced inflammation in comparison with the control rats. ....	97
Figure 5.11: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IL-6 in response to antigen induced inflammation in comparison with the control rats. ....	98
Figure 5.12: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IL-10 in response to antigen induced inflammation in comparison with the control rats. ....	99

Figure 5.13: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IL-12 in response to antigen induced inflammation in comparison with the control rats. ....	100
Figure 5.14: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of IFN- $\gamma$ in response to antigen induced inflammation in comparison with the control rats. ....	101
Figure 5.15: Effect of ethanolic plant extracts at different doses (50, 100, 200 mg/kg/day PO) on expression of TNF- $\alpha$ in response to antigen induced inflammation in comparison with the control rats. ....	102

## Chapter 6

Figure 6.1: Testing immunological memory. CRBC induced Paw Edema Assay. Variation of foot pad thickness of <i>C. infortunatum</i> extract treated and control rats with time at second CRBC antigen challenge after 7 days from first challenge. ....	109
Figure 6.2: Testing immunological memory. CRBC induced Paw Edema Assay. Variation of foot pad thickness of <i>C. laccifer</i> extract treated and control rats with time at second CRBC antigen challenge after 7 days from first challenge. ....	110
Figure 6.3: Testing immunological memory. CRBC induced Paw Edema Assay. Variation of foot pad thickness of <i>S. surattense</i> extract treated and control rats with time at second CRBC antigen challenge after 7 days from first challenge. ....	110
Figure 6.4: Testing immunological memory. CRBC induced Paw Edema Assay. Variation of foot pad thickness of <i>C. rotundus</i> extract treated and control rats with time at second CRBC antigen challenge after 7 days from first challenge. ....	111
Figure 6.5: Testing immunological memory. CRBC induced Paw Edema Assay. Variation of foot pad thickness of <i>A. calcarata</i> extract treated and control rats with time at second CRBC antigen challenge after 7 days from first challenge. ....	111

## Chapter 7

- Figure 7.1: Effect of tested ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on white blood cells and mortality in response to cyclophosphamide induced immunosuppression in comparison with the control rats. WBC-1: WBC count prior to administration of cyclophosphamide; WBC-2: WBC count after 72 hours from administration of Cyclophosphamide. .... 117
- Figure 7.1: Effect of tested ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on reduction of white blood cell count in response to cyclophosphamide induced immunosuppression in comparison with the control rats. .... 118
- Figure 7.1: Effect of tested ethanolic plant extracts at doses (50, 100, 200 mg/kg/day PO) on mortality in response to cyclophosphamide induced immunosuppression in comparison with the control rats. .... 119