TABLE OF CONTENTS

ACKNOWLEDGEMENTS	i
TABLE OF CONTENTS	ii
LIST OF FIGURES	iv
LIST OF TABLES	vi
ABSTRACT	vii
1.0 INTRODUCTION	1
2.0 MATERIALS AND METHODS	9
2.1 Diets	9
2.2 Preparation of diets	9
2.3 Experimental system	12
2.4 Physical parameters	12
2.5 Stocking of fish	14
2.6 Experiments	14
2.6.1 Experiments on diets with different	
protein contents	14
2.6.2 Experiments on Vigna catiang substituted	
diets	17
2.6.3 Experiments on ration size	17
2.7 Assesement of growth and related aspects	18
2.8 Spawning perrformance and related aspects	18
2.8.1 Assesement of propotion of females	
spawned and total number of spawnings	18
2.8.2 Assesement of spawning interval	19
2.8.3 Assesement of size at 1st spawning	19
2.8.4 Assesement of fecundity	19

4

	2.9	Assesement of Gonado Somatic Index and related	
		aspects	19
	2.10	Assesement of larval quality	19
	2.11	Analytical methods	20
	2.12	Statistical analyses	20
3.0	RESUI	LTS	21
	3.1	GENERAL OBSERVATIONS AND PHYSICAL CONDITIONS	21
	3.2	MORTALITY AND DISEASE	21
	3.3	DIETS	22
	3.4	FEEDING BEHAVIOUR	22
	3.5	FOOD CONSUMPTION	23
	3.6	GROWTH AND RELATED ASPECTS	24
		3.6.1. Increase In Mean Weight	24
		3.6.2. % Average Daily Gain	32
		3.6.3. Food Conversion Ratio (FCR)	34
		3.6.4. Protein Efficiency Ratio (PER)	36
	3.7	SPAWNING PERFORMANCE	37
		3.7.1 Proportion of Females Spawned and	
		Total Number Of Spawnings	38
		3.7.2 Spawning Interval	43
·		3.7.3 Size At First Spawning	49
		3.7.4 Fecundity	52
	3.8 0	GONADO SOMATIC INDEX AND RELATED ASPECTS	62
		3.8.1 Gonado-Somatic Index	62
		3.8.2 Hepato-Somatic Index	65
	3.9	LARVAL QUALITY	67
4.0	DISCU	JSSION	75
5.0	CONCI	LUSION	101
6.0	REFE	RENCES	102

4

.

L

LIST OF FIGURES

<u>Figure</u>	Title	<u>Page</u>
1	External sex determination in <u>O</u> . <u>niloticus.</u>	15
2	Examples to show the daily variation in food consumption expressed as % body weight per day in <u>O. niloticus</u> maintained on different diets.	25
3	The mean weight of <u>O. niloticus</u> males and females, maintained on diets of different protein content in relation to time.	26
4	Mean increase in weight of <u>O. niloticus</u> males and females, maintained on diets of different substitution levels in relation to time.	29
5	The mean weights of fish fed on different ration sizes at three protein levels.	31
6	%ADG of males and females in relation to ration size and substitution levels for diets of different overall protein content.	33
7	FCR and PER (a)in relation to the dietary protein level and (b)in relation to the substitution level.	35
8	The percentage of females spawned and the total number of spawnings/ 100 females in relation to the dietary protein level during the experim- ental period.	39
9	The percentage of females spawned and the total number of spawnings/ 100 females of <u>O. niloticus</u> in relation to the substitution level in the two groups of diets of differing protein content.	41
10	The percentage of females spawned and the total number of spawnings/ 100 females of <u>O. niloticus</u> fed different ration sizes.	44
11	The cumulative number of spawnings per 100 females fed diets of different dietary protein content.	46
12	The cumulative number of spawnings per 100 females in relation to the substitution levels.	48

4

	·	
13	The overall mean weight at first spawning in relation to the dietary protein content.	50
14	The overall mean weight at first spawning in relation to the substitution level.	53
15	The overall mean weight at first spawning in relation to ration size at three dietary protein levels.	54
16	The relationship of relative fecundity (per 100g female) at first spawn (A), all spawns (A1) and fecundity at first spawn (B) and all spawns (B1), with body weight of <u>O. niloticus</u> maintained on diets of different protein content.	56
17	The fecundity and relative fecundity of <u>O.</u> <u>niloticus</u> in relation to the level of substit- ution.	59
18	Gonado-somatic indices of male and female <u>O.</u> <u>niloticus</u> in relation to ration level, substitution level and dietary protein level.	63
19	Hepato-somatic indices of male and female <u>O.</u> <u>niloticus</u> fed diets with different ration levels, different substitution levels and protein levels.	66
20	Total length, dry weight and condition factor of the larvae in relation to the substitution level of the broodstock diet.	68
21	The changes in % protein, % moisture and % ash in larvae obtained from females fed diets with different legume content at two protein levels.	72

•

4

v

.

.

. •

I

. LIST OF TABLES

Tab]	le <u>Title</u>	<u>Page</u>
1	(a)Proximate composition (dry weight) and amino acid composition of <u>Vigna</u> <u>catiang</u> . (b)Proximate composition (dry weight) of other dietry ingredients.	10
2	Ingredient and proximate composition (% dry weight) of the experimental diets.	11
3	The diets used in the different experiments and the mean daily consumption (as a % body weight) of fish fed to satiation level.	16
4	Initial body weight, final body weight, %ADG, FCR and PER of females and males of <u>O</u> . <u>niloticus</u> fed diets with different protein content or different substitution levels.	27
5	The number of females spawned, the total number of spawnings (N), the mean gap (in days) between spawnings irrespective of the female (a), and the mean inter-spawning interval (b) in <u>O. niloticus</u> reared under different dietary regimes.	40
6	The mean and range for weight at first spawning, fecundity and relative fecundity (per 100g female) of <u>O. niloticus</u> fed different diets and/or rations.	51
7	The statistical relationships of fecundity (F) and relative fecundity (RF) with body weight (BW) of \underline{O} . <u>niloticus</u> fed diets of different dietary protein content.	58
8	The statistical relationships of fecundity (F) and relative fecundity (RF-per 100g female) with body weight (BW) of <u>O</u> . <u>niloticus</u> reared under different diets and dietary regimes.	58
9	The mean GSI and HSI of female and male O . <u>niloticus</u> maintained on different diets and dietary regimes.	64
10	Mean length, dry weight, condition factor(CF), % moisture, % protein and % ash of the larvae obtained from females fed different legume substituted diets and different ration levels.	69
11	The statistical relationships of larval quality for broodstock fed different diets.	70
12	A summary of the reproductive performance of some tilapia species fed different diets.	74

•

-