

## TABLE OF CONTENTS

|  | Page |
|--|------|
| ABSTRACT                               | I    |
| ACKNOWLEDGEMENT                        | IV   |
| TABLE OF CONTENTS                      | VI   |
| LIST OF TABLES                         | XIII |
| LIST OF FIGURES                        | XV   |
| CHAPTER ONE                            |      |
| INTRODUCTION                           | 1    |
| CHAPTER TWO                            |      |
| LITERATURE REVIEW                      |      |
| 2.1 Milk and its constituents          | 5    |
| 2.1.1 General composition of milk      | 5    |
| 2.1.1.1 Fat                            | 6    |
| 2.1.1.2 Proteins                       | 7    |
| 2.1.1.3 Lactose                        | 9    |
| 2.1.1.4 Ash/mineral matter             | 10   |
| 2.1.1.5 Minor constituents of milk     | 10   |
| 2.2 Food value of milk                 | 11   |
| 2.3 Food value of other dairy products | 12   |
| 2.3.1 Butter                           | 12   |
| 2.3.2 Cheese                           | 12   |
| 2.3.3 Ice cream                        | 13   |

|   |    |
|---|----|
| 2.3.4 Concentrated milks                                      | 13 |
| 2.3.5 Skim milk   | 13 |
| 2.3.6 Fermented milks   | 13 |
| 2.4 Processing and preservation of milk                       | 14 |
| 2.4.1 Heat preservation or processing                         | 15 |
| 2.4.1.1 Sterilization   | 15 |
| 2.4.1.2 Pasteurization  | 16 |
| 2.4.1.2.1 Definition of pasteurization                        | 17 |
| 2.4.1.2.2 Methods of pasteurization                           | 17 |
| 2.4.1.2.3 In bottle pasteurization                            | 18 |
| 2.4.1.2.4 Equipment for pasteurization                        | 18 |
| 2.4.1.2.5 Advantages of HTST pasteurization                   | 22 |
| 2.4.1.3 Thermization  | 23 |
| 2.4.1.4 Ultra high temperature (UHT) treatment                | 23 |
| 2.4.1.5 Ultra pasteurization                                  | 24 |
| 2.4.1.6 Factors affecting the shelf life of heat treated milk | 24 |
| 2.4.1.7 Quality control of heat-treated milk                  | 24 |
| 2.4.1.7.1 Pasteurized milk                                    | 24 |
| 2.4.1.7.2 UHT milk  | 25 |
| 2.4.1.7.3 Sterilized milk                                     | 25 |
| 2.4.2 Cold preservation of milk and milk products             | 26 |
| 2.4.2.1 Freezing  | 26 |
| 2.4.2.2 Chilling/refrigeration                                | 26 |

|  |    |
|--|----|
| 2.4.3 Preservation by fermentation   | 27 |
| 2.4.4 Activation of inhibitory systems in milk   | 27 |
| 2.4.5 Addition of a preservative   | 27 |
| 2.4.5.1 Mechanism of effects   | 27 |
| 2.5 Importance of clean raw milk for processing  | 28 |
| 2.6 Clean milk production  | 29 |
| 2.6.1 Summary of important steps in the procedure of clean milk<br>production from healthy cows using manual milking | 30 |
| 2.7 Microbiology of milk and milk products   | 31 |
| 2.7.1 Sources of contamination of milk   | 31 |
| 2.7.2 Requirement for microbial growth   | 32 |
| 2.7.3 Types of microorganisms associated with milk   | 34 |
| 2.8 Shelf life of foods  | 38 |
| 2.8.1 Major modes of food deterioration  | 38 |
| 2.8.2 Importance of shelf life   | 38 |
| CHAPTER THREE  |    |
| MATERIALS AND METHODS  |    |
| 3.1 Location   | 40 |
| EXPERIMENT 01  |    |
| 3.2 Analysis of raw milk   | 40 |
| 3.2.1 Chemical analysis  | 40 |
| 3.2.1.1 Sampling procedure   | 40 |
| 3.2.1.2 Fat %  | 40 |

|  |    |
|--|----|
| 3.2.1.3 Solid Non Fat %  | 41 |
| 3.2.1.4 Lactose %  | 41 |
| 3.2.1.5 Acidity %  | 43 |
| 3.2.1.6 pH   | 43 |
| 3.2.2 Microbiological analysis   | 44 |
| 3.2.2.1 Sampling procedure   | 44 |
| 3.2.2.2 Sterilization of glassware and other equipment                                       | 44 |
| 3.2.2.3 Preparation of microbiological media   | 44 |
| 3.2.2.4 Sterilization of media and Ringer's Solution   | 45 |
| 3.2.2.5 Preparation of dilution series   | 46 |
| 3.2.2.6 Inoculation  | 46 |
| 3.2.2.7 Incubation   | 46 |
| 3.2.2.8 Counting   | 47 |
| 3.2.2.9 Methylene Blue Dye Reduction Time  | 47 |
| EXPERIMENT 02  |    |
| 3.3 Determination of optimum temperature-time combination<br>for HTST pasteurization of milk | 48 |
| 3.3.1 Calibration of the feed pump of the pasteurizer  | 48 |
| 3.3.2 Cleaning and sanitizing of the pasteurizer   | 49 |
| 3.3.3 Pasteurization of milk   | 49 |
| 3.3.4 Chemical Analysis  | 50 |
| 3.3.5 Testing for effectiveness of pasteurization  | 50 |
| 3.3.6 Homogenization Index   | 51 |

|   |    |
|---|----|
| 3.3.7 Sensory evaluation  | 51 |
| EXPERIMENT 03   |    |
| 3.4 Determination of level of CO <sub>2</sub> that can be added below sensory<br>threshold limit  | 52 |
| 3.4.1 Pasteurization and bottling of milk   | 52 |
| 3.4.2 Incorporation of CO <sub>2</sub>  | 52 |
| 3.4.3 Determination of level of CO <sub>2</sub> dissolved in milk   | 53 |
| 3.4.4 Determination of sensory threshold level of added CO <sub>2</sub>   | 53 |
| EXPERIMENT 04   |    |
| 3.5 Determination of suitable combination of CO <sub>2</sub> level and<br>temperature-time treatment to get optimum product quality<br>and maximum shelf life | 54 |
| EXPERIMENT 05   |    |
| 3.6 Effect of dissolved CO <sub>2</sub> on the keeping quality of raw milk  | 55 |
| 3.7 Experimental design and data analysis   | 55 |
| CHAPTER FOUR  |    |
| RESULTS AND DISCUSSION  |    |
| 4.1 Chemical and microbiological analysis of raw milk   | 56 |
| 4.1.1. Chemical analysis  | 56 |
| 4.1.2 Microbiological analysis  | 57 |
| 4.2 Determination of optimum temperature- time combination<br>that gives best sensory qualities   | 60 |
| 4.3 Determination of sensory threshold level of CO <sub>2</sub> added in to<br>pasteurized milk   | 62 |

|  |       |
|--|-------|
| 4.4 Effect of temperature-time combination and CO <sub>2</sub> addition<br>on chemical parameters, microbiological quality and<br>shelf life of chilled pasteurized milk | 64    |
| 4.4.1 Changes of chemical parameters   | 64    |
| 4.4.1.1 Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean pH of pasteurized milk   | 64    |
| 4.4.1.2 Effect of dissolved CO <sub>2</sub> and temperature-time<br>combination on mean acidity (lactic acid %) of pasteurized milk                                      | 66    |
| 4.4.2 Changes of microbiological quality   | 68    |
| 4.4.2.1 Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean VPC of pasteurized milk  | 68    |
| 4.4.2.2 Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean thermoduric count of pasteurized milk  | 71    |
| 4.4.2.3 Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean psychrotrophic count of pasteurized milk   | 74    |
| 4.5 Effect of dissolved CO <sub>2</sub> on the keeping quality of raw milk   | 78    |
| CHAPTER FIVE   |       |
| CONCLUSION   | 85    |
| REFERENCES   | 86-88 |

## LIST OF TABLES

|           |   | Page |
|-----------|---|------|
| Table 01  | Principal fatty acids found in milk triglycerides   | 7    |
| Table 02  | Effect of temperature on the growth of bacteria in milk<br>produced under different conditions  | 29   |
| Table 03  | Water activity values for selected groups of microorganisms   | 34   |
| Table 4.1 | Chemical analysis of raw milk   | 56   |
| Table 4.2 | Microbial counts of raw milk  | 57   |
| Table 4.3 | Effect of temperature-time combination on sensory<br>attributes of pasteurized milk   | 60   |
| Table 4.4 | The best-estimated threshold of CO <sub>2</sub> (ASTM E-679<br>Ascending Series Concentration Method of Limits)   | 62   |
| Table 4.5 | Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean pH of pasteurized milk during 21 days of storage at 4 °C                                | 65   |
| Table 4.6 | Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean acidity (lactic acid %) of pasteurized milk during 21<br>days of storage at 4 °C        | 67   |
| Table 4.7 | Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean VPC (log cfu/ml) of pasteurized milk during 21 days<br>of storage at 4 °C               | 69   |
| Table 4.8 | Effect of dissolved CO <sub>2</sub> and temperature-time combination<br>on mean thermoduric count (log cfu/ml) of pasteurized milk<br>during 21 days of storage at 4 °C | 72   |

|            |  |    |
|------------|--|----|
| Table 4.9  | Effect of dissolved CO <sub>2</sub> and temperature-time combination on mean psychrotrophic count (log cfu/ml) of pasteurized milk during 21 days of storage at 4 °C | 75 |
| Table 4.10 | Effect of temperature-time combination and CO <sub>2</sub> addition on the duration of reaching the maximum allowable VPC  | 77 |
| Table 4.11 | Effect of dissolved CO <sub>2</sub> on mean VPC (log cfu/ml) of raw milk during 5 days of storage period at 4 °C   | 78 |
| Table 4.12 | Effect of dissolved CO <sub>2</sub> on mean thermoduric count (log cfu/ml) of raw milk during 5 days of storage period at 4 °C                                       | 79 |
| Table 4.13 | Effect of dissolved CO <sub>2</sub> on mean psychrotrophic count (log cfu/ml) of raw milk during 5 days of storage period at 4 °C                                    | 80 |
| Table 4.14 | Effect of dissolved CO <sub>2</sub> on mean coliform count (log cfu/ml) of raw milk during 5 days of storage period at 4 °C  | 81 |
| Table 4.15 | Effect of dissolved CO <sub>2</sub> on the mean pH of raw milk during 5 days of storage period at 4 °C   | 82 |
| Table 4.16 | Effect of dissolved CO <sub>2</sub> on the mean acidity (lactic acid %) of raw milk during 5 days of storage period at 4 °C  | 83 |