

## CONTENTS

	PAGE NO:
ABSTRACT	v
ACKNOWLEDEMENT	vii
CONTENTS	viii
LIST OF TABLES	xiii
LIST OF FIGURES	xvi
<b>Chapter 1</b>	
1.1 Introduction	1
1.2 Objectives of the study	5
<b>Chapter 2</b>	
2. Literature	6
2.1 Origin and seed structure	7
2.2 Composition of sesame seed	8
2.2.1 Sesame oil	10
2.2.1.1 Properties of oil	10
2.2.1.1.1 Physical properties	10
2.2.1.1.2 Chemical properties	11
2.2.1.1.2.1 Fats	11
2.2.1.1.2.2 Fatty acids	12
2.2.1.1.2.3 Composition of Fatty acid of sesame oil	13
2.2.1.1.2.4 Distribution of Fatty Acids	14
2.2.2 Proteins	15
2.2.2.1 Protein Content in Sesame seeds	15
2.2.2.2 Characterization of Protein in Sesame	15
2.2.2.3 Protein value of Sesame	17
2.2.3 Carbohydrates	19
2.2.4 Minerals	20
2.2.5 Vitamins	21
2.2.6 Antinutritional Factors	23
2.3 Degradation of lipid	24

<b>2.3.1 Rancidity</b>	<b>24</b>
<b>2.3.1.1 Hydrolytic Rancidity</b>	<b>25</b>
<b>2.3.1.1.1 Influence of Enzymes for hydrolytic rancidity</b>	<b>26</b>
<b>2.3.1.2 Oxidative Rancidity</b>	<b>27</b>
<b>2.3.1.2.1 Autoxidation</b>	<b>27</b>
<b>2.3.1.2.1.1 Mechanism of Autoxidation</b>	<b>27</b>
<b>2.3.1.2.2 Enzymic oxidation</b>	<b>31</b>
<b>2.3.1.2.2.1 Microbial source of lipolytic enzymes</b>	<b>32</b>
<b>2.3.1.2.2 Photo oxidation</b>	<b>32</b>
<b>2.4 Processing of Sesame seeds</b>	<b>33</b>
<b>2.4.1 Cleaning</b>	<b>33</b>
<b>2.4.2 Dehulling and Separation of hulls</b>	<b>33</b>
<b>2.4.3 Blanching</b>	<b>34</b>
<b>2.4.3.1 Equipment</b>	<b>35</b>
<b>2.4.3.1.1 Steam blanchers</b>	<b>36</b>
<b>2.4.3.1.2 Hot-water blanchers</b>	<b>38</b>
<b>2.4.3.2 Effect of blanching on foods</b>	<b>39</b>
<b>2.4.3.2.1 Nutrients</b>	<b>39</b>
<b>2.4.3.2.2 Colour and flavour</b>	<b>40</b>
<b>2.5 Oil Extraction and Purification</b>	<b>40</b>
<b>2.5.1 Extraction</b>	<b>40</b>
<b>2.5.2 Purification</b>	<b>42</b>
<b>2.5.3 Effect of processing on the nutritive value of oils</b>	<b>42</b>
<b>2.5.4 Cake and Meal</b>	<b>44</b>
<b>2.5.5. Protein Concentrates and Isolates</b>	<b>47</b>
<b>2.5.5.1 Preparation</b>	<b>47</b>
<b>2.5.5.2 Chemical Composition</b>	<b>48</b>
<b>2.5.5.3 Functional Properties</b>	<b>48</b>
<b>2.5.6 Roasting</b>	<b>49</b>
<b>2.6 Utilization</b>	<b>50</b>
<b>2.6.1 Uses of Sesame seeds in Human Food</b>	<b>50</b>
<b>2.6.1.1. Seeds and Kernels</b>	<b>50</b>
<b>2.6.1.2 Oil</b>	<b>51</b>

<b>2.6.1.3 Cake and Meal</b>	<b>52</b>
<b>2.6.2 Animal Feed</b>	<b>55</b>
<b>2.6.3 Industrial Uses</b>	<b>56</b>

### **Chapter 3**

<b>3. Materials and methods</b>	<b>57</b>
<b>3.1 Materials and Equipment used for the study</b>	<b>57</b>
<b>3.2 Sample Selection and Preparation</b>	<b>57</b>
<b>3.3 Experimental procedure</b>	<b>58</b>
<b>3.3.1 Determination of acid value and Free Fatty Acid level of sesame seeds and sesame oil</b>	<b>58</b>
<b>3.3.2 Determination of effects of storage conditions on FFA formation</b>	<b>59</b>
<b>3.3.3 Determination of effects of the methods of oil extraction on FFA formation</b>	<b>61</b>
<b>3.3.4 Determination of influence of Enzymes, light and head space on shelf life of extracted oil.</b>	<b>62</b>
<b>3.3.4.1 Extraction of sesame oil from raw sesame seeds</b>	<b>62</b>
<b>3.3.4.2 Extraction of sesame oil from blanched sesame seeds</b>	<b>62</b>
<b>3.3.5 Determination of influence of enzymes in the process of FFA formation during shelf life</b>	<b>63</b>
<b>3.3.6 Determination of influence of light in the process of FFA formation</b>	<b>63</b>
<b>3.3.7 Determination of Influence of head space in the process of FFA formation during shelf life</b>	<b>64</b>
<b>3.4 Stastical Designs used for the experiment</b>	<b>65</b>
<b>3.4.1 Simplest randomized block design</b>	<b>65</b>
<b>3.4.2 Factorial Design</b>	<b>66</b>
<b>3.4.3 Special set of general design</b>	<b>67</b>
<b>3.5 Determination of effect of packing material on edible grade sesame oil</b>	<b>69</b>

### **Chapter 4**

<b>4. Results and Discussion</b>	<b>71</b>
<b>4.1 Maintenance of Acid Value of Sesame Seeds below the acceptable value of six during storage</b>	<b>71</b>

<b>4.1.1 Change in Acid Value of Unblanched Raw Sesame Seeds during storage</b>	<b>71</b>
<b>4.1.1.1. Correlationship between acid value of raw sesame seeds and period of storage</b>	<b>72</b>
<b>4.1.1.2. Change in Acid value of the unblanched raw sesame seeds immediately after decortication and seed coat during storage</b>	<b>73</b>
<b>4.1.1.3 Correlationship between acid value of cotyledon and seed coat during storage</b>	<b>75</b>
<b>4.1.1.4 Relationship between acid value of seed coat and period of storage</b>	<b>76</b>
<b>4.1.1.5 Comparison of acid values of raw seeds, seed coat and cotyledons</b>	<b>77</b>
<b>4.1.1.6 Formula for percentage of decorticating</b>	<b>78</b>
<b>4. 1.2 Changes in acid value of decorticated blanched sesame seeds during storage</b>	<b>79</b>
<b>4.1.2.1 Relationship between acid value of decorticated blanched sesame seeds and period of storage</b>	<b>80</b>
<b>4.1.3 Changes in acid value of decorticated raw seeds (unblanched) during storage</b>	<b>81</b>
<b>4.1.3.1 Relationship between acid value of decorticated raw seeds and period of storage</b>	<b>82</b>
<b>4.1.4 Effect of un-decorticated blanched sesame seeds on acid value during storage</b>	<b>84</b>
<b>4.1.4.1 Relationship between acid value of un-decorticated blanched seeds and period of storage</b>	<b>85</b>
<b>4.2 Maintenance of free fatty acids at acceptable levels in extracted oil.</b>	<b>87</b>
<b>4.2.1 Development of FFA during oil extraction</b>	<b>87</b>
<b>4.2.2 Influence of enzymes in the process of FFA formation during storage of sesame oil</b>	<b>88</b>
<b>4.2.3 Influence of light in the process of FFA formation during storage of sesame oil.</b>	<b>90</b>
<b>4.2.3.1 Development of acids in the initial phase and final phase</b>	<b>91</b>
<b>4.2.4 Influence of head space in the process of FFA formation during storage of sesame oil</b>	<b>92</b>
<b>4.2.4.1. Development of acids in the final phase</b>	<b>93</b>
<b>4.2.4.2 Counter relation ship with volume of head space &amp; FFA level</b>	<b>93</b>
<b>4.2.5 Statistical designs to ascertain combined effects of treatments</b>	

on FFA formation	94
4.2.5.1 Simplest randomized block design in sesame oil	95
4.2.5.2 Factorial design	97
4.2.6. Special set of general designs that consist of orthogonal arrays	98
4.3. Selection of a suitable packing material for edible grade oil	100

## Chapter 5

5.1 Conclusion	102
5.2. Suggestions to improve conventional method of oil extraction	103

## Chapter 6

6. Fabrication of a decortivating machine for sesame seeds	105
6.1 Tests of prototypes	106
6.1.1. Food Processor	106
6.1.2. High Pressure Water	106
6.1.3. Roller and scrape	107
6.1.4. Table with a sleigh	107
6.1.5. Cylinder with rods	108
6.2. Evaluation of different proto types prior to fabrication of the machine	110
6.3. Components of the machine	111
6.3.1. The frame	111
6.3.2. The cylinder and shaft	111
6.3.3. The external parts	112
6.3.4. The electrical system	112
6.4. Using the machine	113
References	114
Appendices	126

## Lists of Tables

PAGE NO:

<b>Table 2.1</b>	<b>Area and production of sesame seeds in the world</b>	<b>6</b>
<b>Table 2.2</b>	<b>: Proximate composition of whole sesame seeds.</b>	<b>10</b>
<b>Table 2.3:</b>	<b>Characteristics of Sesame oil relative to corn and sunflower oil</b>	<b>11</b>
<b>Table 2.4:</b>	<b>Fatty acids composition of sesame oil (% of total fatty acids)</b>	<b>13</b>
<b>Table 2.5</b>	<b>Essential amino acid composition of sesame meal proteins (g/16g N)</b>	<b>18</b>
<b>Table 2.6</b>	<b>Protein nutritive value for rats fed sesame proteins supplemented with amino acids</b>	<b>19</b>
<b>Table 2.7.</b>	<b>Sugar content of sesame seeds and defatted flour</b>	<b>20</b>
<b>Table 2.8:</b>	<b>Mineral content of sesame seeds</b>	<b>21</b>
<b>Table 2.9.</b>	<b>Vitamin content of whole sesame seeds</b>	<b>22</b>
<b>Table 2.10</b>	<b>Vitamin E active compounds in sesame and sunflower oils (mg/100g oil)</b>	<b>22</b>
<b>Table 2.11.</b>	<b>Effects of dehulling on the chemical composition of sesame seeds.</b>	<b>34</b>
<b>Table 2.12 –</b>	<b>Advantages and limitation of different types of conventional blancher</b>	<b>37</b>
<b>Table 2.13:</b>	<b>Effects of dehulling and the method of oil extraction on the composition (%) of sesame flour/cake</b>	<b>46</b>
<b>Table 2.14</b>	<b>Properties of bread baked with oilseed-wheat flour blends at 17.5% and 20.0% protein levels.</b>	<b>46</b>
<b>Table 2.15</b>	<b>Functional properties of sesame and soybean protein products.</b>	<b>49</b>
<b>Table 2.16:</b>	<b>PER, NPR true protein digestibility (TD) and levels of serum lipids in female rats fed sesame-blackbean composite flour</b>	<b>54</b>
<b>Table 2.17</b>	<b>Composition and quality of fermented salami</b>	<b>55</b>
<b>Table 4.1</b>	<b>Variation of acid value with the period of storage.</b>	<b>72</b>
<b>Table 4.2.</b>	<b>Quantified acid value with respect to the period of storage for six months period.</b>	<b>73</b>
<b>Table 4.3</b>	<b>Variation of acid value of Cotyledons (decorticated seeds) with respect to the period of storage.</b>	<b>75</b>

<b>Table 4.4 Quantified acid value of cotyledons with respect to the period of storage for six months period.</b>	<b>76</b>
<b>Table 4.5 Variation of acid value of seed coat with respect to the time factor.</b>	<b>76</b>
<b>Table 4.6 Quantified acid value of seed coat with respect to the time factor.</b>	<b>77</b>
<b>Table 4.7 Variation of acid value of decorticated blanched seeds with period of storage.</b>	<b>80</b>
<b>Table 4.8 Quantified acid value with respect to the period of storage</b>	<b>81</b>
<b>Table 4.9 Variation of acid value of decorticated raw seeds with respect to the period of storage.</b>	<b>83</b>
<b>Table 4. 10. Quantified acid value with respect to the time factor.</b>	<b>83</b>
<b>Table10(a): Variation of acid value with respect to the period of storage</b>	<b>85</b>
<b>Table 4.11: Quantified acid value with respect to the period of storage</b>	<b>86</b>
<b>Table:4.12. Summary of maximum possible storage period (months) of each treatment</b>	<b>86</b>
<b>Table 4.13 : FFA level with respect to the corresponding compressions in raw sesame seeds (with seed coat)</b>	<b>87</b>
<b>Table 4.14: FFA level with respect to the corresponding compressions in blanched sesame seeds (with seed coat)</b>	<b>87</b>
<b>Table 4.15: Relationship between development of FFA and period of storage of sesame oil.</b>	<b>88</b>
<b>Table 4.16. Development of FFA at different degrees of exposure during storage</b>	<b>91</b>
<b>Table 4.17: Relation ship between free fatty acids level and head space during storage</b>	<b>94</b>
<b>Table 4.18: Development of free fatty acids with respect to the treatment combinations during 18 months storage period</b>	<b>95</b>
<b>Table 4.19: Development of FFA with respect to the treatment combination during storage</b>	<b>97</b>
<b>Table 4.20: Development of FFA with respect to the treatment combination</b>	<b>98</b>
<b>Table 4.21: Calculated mean values of three variables in development of</b>	

<b>FFA with respect to the period of storage</b>	<b>99</b>
<b>Table 4.22: Development of FFA in sesame oil in different packing materials during storage</b>	<b>100</b>
<b>Table 6.1: Test results of the food processor</b>	<b>106</b>
<b>Table 6.2: Test results of high pressure water</b>	<b>107</b>
<b>Table 6.3: Test results of roller and scrape</b>	<b>107</b>
<b>Table 6.4: Test results of the table with a sleigh</b>	<b>108</b>
<b>Table 6.5: Test results of cylinder with rods</b>	<b>109</b>
<b>Table 6.6: Test results of prototype design of cylinder with rods</b>	<b>109</b>
<b>Table 6.7 : Evaluation of different proto types</b>	<b>110</b>



## Lists of Figures

	Page No.
<b>Fig. 2.1: Partial cross section through sesame seed (x 250)</b>	<b>9</b>
<b>Fig. 2.2 Flow diagram for the production of sesame oil and sesame flour.</b>	<b>45</b>
<b>Fig.4.1 Relationship between acid value and period of storage of unblanched raw sesame seeds</b>	<b>72</b>
<b>Fig. 4.2 Change in Acid value of raw sesame seeds immediately after decortication and seed coat during storage</b>	<b>74</b>
<b>Fig 4.3 Comparison of Development of acids in Raw seeds, Seed coat and cotyledons during storage</b>	<b>78</b>
<b>Fig. 4.4 Acid value of decorticated and blanched sesame seeds during storage</b>	<b>80</b>
<b>Fig 4.5 Acid value of Decorticated Raw seeds during storage</b>	<b>82</b>
<b>Fig 4.6 Acid value of Blanched undecorticated seeds during storage</b>	<b>84</b>
<b>Fig:4.7 Influence of Enzymes in development of FFA during storage</b>	<b>89</b>
<b>Fig 4.8 Influence of Light in Process of FFA formation during storage</b>	<b>90</b>
<b>Fig: 4.9 Influence of head gap in development of FFA during storage of sesame oil</b>	<b>92</b>
<b>Fig 6.1: Fabricated sesame decorticating machine (Prototype)</b>	<b>111</b>