

Table of contents

	Page
List of tables	i
List of figures	ii
Acknowledgements	iv
Abstract	vi

Chapter 1: General introduction

1.1 Literature review	1
1.2 Animal model	3
1.3 Objectives	4

Chapter 2: Determination of sperm transfer time and retention times of different regions of hamster epididymis

2.1 Introduction	5
2.2 Methodology	
2.2.1 Animals	10
2.2.2 Chemicals	10
2.2.3 Design of the experiment	11
2.2.4 Placing ligations	11
2.2.5 Collection of epididymal tissues and sperm motility assessment	11
2.2.6 Assessment of total sperm number	13
2.2.7 Assessment of sperm morphology	13
2.2.8 Histopathological studies	13
2.2.9 Statistical analysis	14
2.3 Results	
2.3.1 Total sperm count	14
2.3.2 Sperm motility	18
2.3.3 Sperm emptying times	21
2.3.4 Sperm morphology	21
2.3.5 Histology	23
2.4 Discussion	27

Chapter 3: Investigation of cauda storage of sperm in hamster epididymis

3.1	Introduction	34
3.2	Methodology	
	3.2.1 Animals	38
	3.2.2 Chemicals	38
	3.2.3 Design of the experiment	38
	3.2.4 Placing ligations	38
	3.2.5 Collection of epididymal tissues and sperm motility assessment	39
	3.2.6 Assessment of total sperm number	39
	3.2.7 Viability of cauda sperm	39
	3.2.8 Assessment of sperm morphology	40
	3.2.9 Statistical analysis	40
3.3	Results	
	3.3.1 Total sperm count	41
	3.3.2 Sperm storage time	42
	3.3.3 Sperm motility assessment	42
	3.3.4 Sperm viability	43
	3.3.5 Morphology of sperm	44
3.4	Discussion	46

Chapter 4: Identification of membrane properties in relation to *in vitro* fertilization

4.1	Introduction	
	4.1.1 Capacitation	52
	4.1.2 Hyperactivation	53
	4.1.3 Acrosome reaction	55
	4.1.4 Assessment of capacitation and acrosome reaction	56
	4.1.5 Fertilization	59
	4.1.6 <i>In vitro</i> fertilization	60
	4.1.7 Animal model	62
4.2	Methodology	
	4.2.1 <i>In vitro</i> fertilization	63
	4.2.1.1 Hamster colony	63

4.2.1.2 Treatment of hamsters	64
4.2.1.3 Fertilization medium	64
4.2.1.4 Collection of cauda epididymal sperm	65
4.2.1.5 Estimation of sperm count	65
4.2.1.6 Collection of oocytes	65
4.2.1.7 Insemination of oocytes	67
4.2.1.8 Evaluation of fertilization	67
4.2.2 Induction of capacitation and acrosome reaction	67
4.2.2.1 Calcium ionophore A23187 stock solution	67
4.2.2.2 CTC fluorescence assessment of spermatozoa	69
4.2.3 Statistical analysis	70
4.3 Results	70
4.4 Discussion	75
Chapter 5: General discussion	80
References	90
Appendixes	106

List of tables

	Page
Table 1: Summarized data for total sperm motility and immotility recovered from the different regions of the epididymis of hamster	16
Table 2: Summarized percentage values for motile and immotile sperm recovered from the different regions of the epididymis of hamster	19
Table 3: Morphology of sperm in different regions in different days after ligation of initial segment of hamster epididymis	22
Table 4: Effect of cauda ligation on cauda sperm morphology in hamster in different post-ligation days	45
Table 5: <i>In vitro</i> fertilization of hamster oocytes with hamster cauda sperm in different post- ligation days	72

List of figures

	Page
Figure 1: Common hamster - <i>Cricetus cricetus</i>	3
Figure 2: Diagrammatic presentation of the epididymal regions defined and used in the present study	12
Figure 3: Graphs representing motile sperm concentration in different regions of the epididymis in different post-ligation days	20
Figure 4: Pie chart showing the observed sperm emptying times from the different parts of the epididymis of hamster	21
Figure 5 (a): Light micrograph of a section through the control caput epididymis	24
Figure 5 (b): Light micrograph of a section through the control cauda epididymis	24
Figure 5 (c): Light micrograph of a section through the caput epididymis on 3 days of post-ligation	25
Figure 5 (d): Light micrograph of a section through the cauda epididymis on 3 days of post-ligation	25
Figure 5 (e): Light micrograph of a section through the caput epididymis on 40 days of post-ligation	26
Figure 5 (f): Light micrograph of a section through the cauda epididymis on 40 days of post-ligation	26
Figure 6: Total number of sperm in cauda in different days after placing ligation in cauda epididymis of hamster.	41

Figure 7:	Motile and immotile sperm concentration in different post-ligation days in cauda epididymis of hamster.	42
Figure 8:	Live and dead cauda sperm percentages in different days after placing ligation in the cauda epididymis of hamster.	43
Figure 9:	Motility and viability changes of cauda sperm in different days after ligation of cauda epididymis of hamster	44
Figure 10:	Cauda sperm of hamster	45
Figure 11:	The ovaries and oviducts of hamster	66
Figure 12:	The general protocol used for <i>in vitro</i> fertilization of hamster	68
Figure 13:	Phase contrast micrograph of a fertilized hamster oocyte 4 hrs after insemination.	71
Figure 14:	A comparison of CTC fluorescence assay patterns in different days after placing ligation in the hamster cauda.	73