

UNIVERSITY OF RUHUNA – FACULTY OF ALLIED HEALTH SCIENCES

THIRD BPHARM PART I EXAMINATION - JULY 2018 DEPARTMENT OF PHARMACY

PH 3153 PHARMACOLOGY III-(SEQ)

INSTRUCTIONS

- There are six (06) questions in parts A,B, C and D of the paper
- Answer each part in a separate booklet.
- Do not use any correction fluid.
- Marks will be deducted for illegible hand writing



PART A

Answer all parts.

- 1. Indicate the mode of action of
- 1.1.1. metoclopramide.
- ondansetron.

(20 marks)

(20 marks)

1.1.2.

- 1.2. Prokinetics are used in the treatment of gastroparesis. List three drugs which
- 1.3. Briefly describe your advisory role as a community pharmacist during dispensing show prokinetics effects (15 marks)
- of oral contraceptive pills. (25 marks)
- 1.4. List an example for
- 1.4.1. rapid acting insulin.
- 1.4.2. short acting insulin. (05 marks)

(05 marks)

1.4.3. intermediate acting insulin. (05 marks)

(05marks)

1.4.4. long acting insulin.

2. Answer all parts

- 2.1. Indicate the clinical uses and expected therapeutic effects of
- 2.1.1. depomedroxy progesterone.

2.1.2. goserelin

(25marks)

(25marks)

- 2.2. Describe the pharmacological basis of using
- 2.2.1. metformin in type II diabetes mellitus (25 marks)
- 2.2.2. sitagliptin in postprandial hyperglycaemia

(25 marks)

PART B

Answer all parts

(20 marks)	3.4. List the advice you would give to a patient on oral steroids.	3.4.	
(10 marks)	mandara mandar	,	
ity pharmacy.	3.3. State different types of corticosteroid drugs seen in the community pharmacy.	ယ :သ	
(20 marks)	Describe the mode of action of corticosteroids.	3.2.	7 76
(25 marks)	3.1.2. use of omeprazole in peptic ulcer		
(25 marks)	3.1.1. formation of aspirin induced gastric ulcer		
	Differly describe pharmacological reasons for	0.1.	

PART C

	4
	Answer
	all
,	parts

4.5.		4.4.	4.3.		4.2.	4.1.	
4.5. Briefly describe the treatment of iron toxicity.	tablets at the community pharmacy outlet.	State the advices you would give to a patient who is prescribed with oral iron	Describe the indications and adverse effects of iron therapy.		4.2. State two types of iron preparations those are used for parenteral iron therapy.	State two types of oral iron preparations.	
(20 marks)	(20 marks)	with oral iron	(30 marks)	(20 marks)	ıl iron therapy.	(10 marks)	

		5.2. State laboratory tests that are performed to monitor the above drug therapy	5.1. Compare the mode of actions of warfarin and heparin.
			1
		Ste	6
		ite	B
		<u></u>	pa
		36	re
		310	P
		to	en
		Y	no
		te	de
		Sts	0
		11	0
		12	13
		2	0
		re	SI
		pe	of
P		if	×.
		TIC	ar
PART D		ne	far
H		ğ	H.
		5	ar
		B	d
		on	he
		itc	30
		ĭ	Ξ.
		the contract of the contract o	P
		23	
		60	
		Ve	
		d	
		11	
		90	
		he	
- A.	1	ra	7
	10	py	0
	na		m
	rk		Ir
	(10 marks)		(40 marks)

Compare the mode of actions of warfarin and heparin.

5.4. Mention two drug interactions of Chloramphenicol. (1	(4) The problem of the companies of the	5.3. Describe briefly the pharmacokinetics of Cephalosporin and Chloramphenic
10 marks	40 marks	col.

6. State the mode of actions, clinical indications and contraindications of

6.4. tetracycline	o.s. gentamicin	6.2 contomicin	6.2 henzyl penicillin	6.1. quinolone.
(25 marks)	(25 marks)	(25 marks)	(25 marks)	(25 months)