

TABLE OF CONTENTS

	Page
ABSTRACT	i
ACKNOWLEDGEMENT.....	ii
TABLE OF CONTENTS.....	iv
LIST OF TABLES.....	vi
LIST OF FIGURES.....	vii
1.INTRODUCTION.....	1
1.1. Genus <i>Macrobrachium</i>	1
1.2. Economically important <i>Macrobrachium</i> species.....	1
1.3. Importance of <i>Macrobrachium rosenbergii</i> and	4
<i>Macrobrachium malcolmsonii</i> in Sri Lankan fisheries industry	
1.4. Morphology and molecular data in taxonomic studies.....	4
1.5. Morphological and molecular based studies on <i>Macrobrachium</i> species.....	6
1.6. Molecular based methods used in the current study.....	7
1.7. Objectives.....	8
1.8. Importance of the current study	8
2. MATERIALS AND METHODS.....	10
2.1. Sampling and measurements.....	10
2.2. Data analysis.....	11

2.2.1. Morphological analysis.....	11
2.2.2. DNA based analysis.....	13
2.2.2.1. DNA extraction.....	13
2.2.2.2. PCR.....	13
2.2.2.3. DNA sequencing.....	13
2.2.2.4. Gel electrophoresis for SSCP generated bands.....	14
3. RESULTS AND DISCUSSION.....	16
3.1. Results	16
3.1.1. Morphological analysis.....	16
3.1.2. DNA sequencing and SSCP marker analysis.....	19
3.2. Discussion.....	22
3.3. Conclusion.....	25
4. REFERENCES.....	26
5. APPENDICES.....	32
Appendix I: Publications.....	32
Publication A.....	32
Publication B.....	39
Appendix II: Details of morphometric parameters of <i>Macrobrachium</i> species.....	40
Appendix III: Morphometric data that used in this study.....	41
Table.1. Morphometric data of the <i>Nilwala</i> River.....	41

Table.2. Morphometric data of the *Gal-Oya* River.....42

Appendix IV: Solutions used in molecular analysis43

Appendix V: Histograms derived from Discriminant Function.....45

Analysis for two species

LIST OF TABLES

	Page
Table 1.1: List of <i>Macrobrachium</i> species with proven aquaculture potentials.....	3
Table 2.1: Summary of the data analysis of log transformed metric parameters.....	17
Table 3.2: Standardized Canonical Discriminant Function Coefficients that derived from Discriminant Function analysis (DFA) for two <i>Macrobrachium</i> species	18
Table 3.3: Estimated nucleotide composition for partially amplified mitochondrial 16S gene region for two <i>Macrobrachium</i> species	21

LISTS OF FIGURES

	Page
Figure 2.1: Two river systems that collected samples of <i>M. Rosenbergi</i>10 and <i>M. malcolmsonii</i> .	10
Figure 2.2: Morphological similarity of two freshwater prawn species12	12
Figure 2.3: Schematic diagram of <i>Macrobrachium</i> sp. to show morphometric12 parameters that used in Discriminant Function Analysis	12
Figure 3.1: Seven morphometric parameters identified as significant16 contributors from Discriminant Function Analysis	16
Figure 3.2: The box plots graph derived from SPSS analysis to illustrate18 the distribution of the Discriminant Function Scores for each group	18
Figure 3.3: Agarose gel image for PCR bands which amplified for.....19 mitochondrial 16SrRNA gene region	19
Figure 3.4: Comparison (BLAST results) of two DNA sequences that 20 derived from mitochondrial 16SrRNA gene	20
Figure 3.5: Image of polyacrylamide gel with derived banding.....21 patterns from SSCP method	21