

## Table of contents

	Page number
<b>Declaration</b>	<b>i</b>
<b>List of figures</b>	<b>ix</b>
<b>List of tables</b>	<b>x</b>
<b>Abbreviations</b>	<b>xii</b>
<b>Dedication</b>	<b>xiv</b>
<b>Acknowledgements</b>	<b>xv</b>
<b>Abstract</b>	<b>xvii</b>
<b>1. Introduction</b>	<b>1</b>
<b>2. Justification and objectives of the study</b>	<b>7</b>
<b>3. 1. Male reproductive system</b>	<b>9</b>
<b>3.1.1. Development</b>	<b>9</b>
<b>3.1.2. Testis</b>	<b>11</b>
3.1.2.1. Seminiferous tubules	13
3.1.2.2. Leydig cells	14
3.1.2.3. Sertoli cells	15
3.1.2.4. Spermatogenesis	17
3.1.2.5. Spermatozoon	19
<b>3.1.3. Duct system of the male reproductive system</b>	<b>21</b>
3.1.3.1. Ductuli efferentes	22
3.1.3.2. Epididymis	22
3.1.3.3. Ductus deference	22
<b>3.1.4. Accessory glands of the male reproductive system</b>	<b>23</b>
3.1.4.1 Seminal vesicles	23
3.1.4.2. Prostate gland	24
3.1.4.3. Bulbo urethral glands	24
<b>3.2. Human seminal fluid parameters and sperm function tests</b>	<b>25</b>
<b>3.2.1. Introduction</b>	<b>25</b>
<b>3.2.2. Physical characteristics of semen</b>	<b>27</b>
3.2.2.1. Liquefaction	27
3.2.2.2. Appearance	27

3.2.2.3. Viscosity	27
3.2.2.4. Volume	27
3.2.2.5. pH	28
<b>3.2.3. Characteristics of spermatozoa</b>	<b>28</b>
3.2.3.1. Sperm count	28
3.2.3.2. Morphology	29
3.2.3.3. Percentage motility	30
3.2.3.4. Percentage viability	30
3.2.3.5. Agglutination	30
<b>3.2.4. Sperm function tests</b>	<b>31</b>
3.2.4.1. Motility assessment by CASA	31
3.2.4.2. Sperm-cervical mucus penetration	31
3.2.4.3. Capacitation and hyperactivation	31
3.2.4.4. Sperm–zona interaction	32
3.2.4.5. Acrosome reaction	32
3.2.4.6. Zona-free hamster oocyte penetration assay	33
3.2.4.7. Reactive oxygen species in the seminal fluid	33
3.2.4.8. Sperm chromatin stability assay (SCSA)	34
3.2.4.9. Hyaluronan binding Assay (HBA)	34
<b>3.3. Female reproductive system</b>	<b>36</b>
<b>3.3.1. Introduction</b>	<b>36</b>
<b>3.3.2. Development</b>	<b>37</b>
<b>3.3.3. Ovaries</b>	<b>37</b>
<b>3.3.4. Oviduct (Fallopian tube)</b>	<b>38</b>
3.3.4.1 Uterine tubal fluid	38
<b>3.3.5. Uterus</b>	<b>40</b>
3.3.5.1. Menstrual phase	41
3.3.5.2. Proliferative phase	41
3.3.5.3. Secretory phase	41
3.3.5.4. Uterine fluid (Endometrial secretion)	42
3.3.5.4.1. Introduction	42
3.3.5.4.2. Composition	43
3.3.5.4.3. Role in infertility	45

<b>3.3.6. The cervix</b>	<b>45</b>
3.3.6.1. Cervical mucus	46
3.3.6.1.1. Introduction	46
3.3.6.1.2. Composition	47
3.3.6.1.3. Functions of cervical mucus	48
3.3.6.1.4. Assessment of the quality of cervical mucus	49
3.3.6.1.5. sperm-cervical mucus interaction and infertility	49
<b>3.3.7. Sperm survival and transport in the female reproductive tract</b>	<b>51</b>
3.3.7.1. Introduction	51
3.3.7.2. Vagina	52
3.3.7.3. Cervix	52
3.3.7.4. Uterus	53
3.3.7.5. Uterotubal junction	55
3.3.7.6. Fallopian tubes	55
<b>3.4. Fertilization</b>	<b>58</b>
<b>3.5. Infertility</b>	<b>60</b>
<b>3.5.1. Introduction</b>	<b>60</b>
3.5.1.1. Primary infertility	60
3.5.1.2. Secondary infertility	60
<b>3.5.2 Types of infertility and prevalence in the world</b>	<b>62</b>
<b>3.5.3. Types of infertility and prevalence in Sri Lanka</b>	<b>63</b>
<b>3.5.4. Female infertility</b>	<b>63</b>
<b>3.5.5. Male infertility</b>	<b>65</b>
<b>3.6. Evaluation and treatment of the infertile couple</b>	<b>70</b>
<b>3.6.1. Introduction</b>	<b>70</b>
<b>3.6.2. Male partner</b>	<b>71</b>
3.6.2.1. Medical history and physical examination	72
3.6.2.1.1. History taking	72
3.6.2.1.2. Physical examination	74
3.6.2.1.2.1. General examination	74
3.6.2.1.2.2. Examination of the penis	75
3.6.2.1.2.3. Examination of the testis	76
3.6.2.1.2.4. Examination of the epididymis and ductus deferens	77

3.6.2.1.2.5. Examination for varicocele	78
3.6.2.1.2.6. Examination inguinal region and prostate	78
3.6.2.2. First-level diagnostic tests	79
3.6.2.2.1. Semen analysis	79
3.6.2.2.2. Hormonal measurements	81
3.6.2.3. Second-level diagnostic tests	81
3.6.2.3.1. Bacteriological examination and scrotal ultrasound	81
3.6.2.3.3. Genetic assessment	82
3.6.2.4. Third-level diagnostic tests	83
3.6.2.4.1. Testicular biopsy	83
3.6.2.4.2. Sperm function tests	84
<b>3.6.3. Female partner</b>	<b>84</b>
3.6.3.1. Medical history and physical examination	84
3.6.3.1.1. Medical history	84
3.6.3.1.2. Physical examination	87
3.6.3.2. First-level diagnostic tests	88
3.6.3.2.1. Assessment of ovulatory function	88
3.6.3.2.2. Tubal patency assessment	89
3.6.3.3. Second-level diagnostic tests	90
3.6.3.3.1. Cervical factors	90
3.6.3.3.2. Abnormal sperm-cervical mucus interaction	91
3.6.3.3.3. Uterine abnormalities	91
3.6.3.3.4. Tubal factors	92
3.6.3.3.5. Genetic assessment	92
<b>3.6.4. Unexplained infertility</b>	<b>93</b>
<b>3.6.5. Other factors to be considered with infertility</b>	<b>93</b>
3.6.5.1. Anti-sperm antibodies (ASA)	93
3.6.5.1.1 Introduction	93
3.6.5.1.2. Etiology of ASA formation	95
3.6.5.1.3. Pathogenesis of ASA-mediated infertility	98



4.2.4.1.7. Sperm viability and morphology	119
4.2.3.1.7.1. Viability	119
4.2.3.1.7.2. Morphology	120
4.2.3.1.8. Screening for ASA (IgG) and interpretation	120
<b>4.2.4. Sperm-cervical mucus interaction test</b>	<b>121</b>
4.2.4.1. Collection of the sample	121
4.2.4.2. Evaluation of the cervix and cervical mucus	121
4.2.4.2.1. External cervical OS	121
4.2.4.2.2. Cervical mucus volume	122
4.2.4.2.3. Consistency of CM	122
4.2.4.2.4. Ferning of CM	122
4.2.4.2.5. Spinnbarkeit	123
4.2.4.2.6 Cellularity	124
4.2.4.2.7. pH	124
4.2.4.3. Sperm-cervical mucus interaction	
test and interpretation	124
<b>4.2.5. Sperm-intra uterine fluid interaction test</b>	<b>126</b>
4.2.5.1. Collection of the sample	126
4.2.5.2. Sperm-intrauterine fluid interaction test	
and interpretation	129
<b>4.2.6. Assessment of chlamydia infection</b>	<b>131</b>
4.2.6.1. Testing female patient	131
4.2.6.1.1. Sample collection	131
4.2.6.1.2. Test procedure	132
4.2.6.1.3. Interpretation	132
4.2.6.2. Testing male patient	133
4.2.6.2.1. Sample collection	133
4.2.6.2.2. Test procedure	133
4.2.6.2.3. Interpretation	133
<b>4.3. Inter-examiner variability</b>	<b>134</b>
14.3.1. Sample selection	134

<b>5. Result</b>	135
<b>5.1. Pilot study</b>	135
<b>5.2. Main study</b>	136
<b>5.3. Intra-observer variation</b>	151
<b>6. Discussion</b>	152
<b>6.1. General considerations</b>	152
<b>6.2. Correlation between cervical mucus and IUF hostility</b>	155
<b>6.3. ASA IgG type</b>	157
<b>6.4. Chlamydia infection</b>	159
<b>7. Conclusion</b>	162
<b>8. Recommendations</b>	163
<b>9. References</b>	164
<b>10. Publications</b>	i to ii
<b>11. Annexes</b>	i to viii

## List of figures

	Page Number
<b>Figure 1.</b> The male reproductive system.	<b>10</b>
<b>Figure 2.</b> A cross-section of the testis.	<b>12</b>
<b>Figure 3.</b> Seminiferous tubules.	<b>14</b>
<b>Figure 4.</b> A cross section of the testis showing Sertoli cells and Leydig cells.	<b>15</b>
<b>Figure 5.</b> Blood testicular barrier.	<b>16</b>
<b>Figure 6.</b> Various stages of spermiogenesis.	<b>17</b>
<b>Figure 7.</b> Human spermatozoon.	<b>19</b>
<b>Figure 8.</b> The female reproductive system.	<b>36</b>
<b>Figure 9.</b> Patterns of ferning.	<b>123</b>
<b>Figure 10:</b> Collection of IUF sample.	<b>126</b>

## List of Tables

	Page Number
<b>Table 5.1.1.</b> Correlation of IUF hostility with CM hostility – Pilot study.	135
<b>Table 5.2.1</b> Distribution of age by gender.	136
<b>Table 5.2.2.</b> Distribution of the population according to districts.	137
<b>Table 5.2.3.</b> Distribution of the population according to ethnicity.	137
<b>Table 5.2.4.</b> Distribution of the population according to religion.	138
<b>Table 5.2.5.</b> Type of infertility of the study sample.	138
<b>Table 5.2.6.</b> Characteristics of the seminal fluid samples.	139
<b>Table 5.2.7.</b> Grading of the External cervical OS size of the sample.	140
<b>Table 5.2.8.</b> Insler Score (IS).	140
<b>Table 5.2.9.</b> Cervical Mucus – pH.	141
<b>Table 5.2.10.</b> Intra Uterine Fluid – pH.	142
<b>Table 5.2.11.</b> Progressivity of spermatozoa in IUF and CM.	143
<b>Table 5.2.12.</b> Chlamydial infection in females.	144
<b>Table 5.2.13.</b> Correlation of chlamydial infection with primary and secondary infertility in females.	145
<b>Table 5.2.14.</b> Chlamydia infection in males.	145
<b>Table 5.2.15.</b> Correlation between female chlamydial infection and CM hostility.	146
<b>Table 5.2.16.</b> Correlation between female chlamydial infection and IUF hostility.	146
<b>Table 5.2.17.</b> Correlation between male chlamydial infection and IUF hostility.	147
<b>Table 5.2.18.</b> Correlation between male chlamydial infection and CM hostility.	147

<b>Table 5.2.19.</b> Direct Sperm MAR in males.	<b>148</b>
<b>Table 5.2.20.</b> Correlation between male chlamydial infection and ASA IgG type.	<b>148</b>
<b>Table 5.2.21.</b> Sperm Mar (IgG) and CM hostility.	<b>149</b>
<b>Table 5.2.22.</b> Sperm Mar (IgG) and IUF hostility.	<b>149</b>
<b>Table 5.2.23.</b> Correlation of IUF hostility with CM hostility.	<b>150</b>
<b>Table 5.3.1</b> Agreement of information on selected variables.	<b>151</b>