

CONTENTS

	Page
ACKNOWLEDGEMENTS	i
CONTENT PAGES	iv
LIST OF TABLES	viii
LIST OF FIGURES	xxiii
LIST OF ANNEXURES	xxv
ABBREVIATIONS	xxvi
ABSTRACT	1
OBJECTIVES OF THE STUDY	5
CHAPTER ONE: REVIEW OF LITERATURE	
1.1 Introduction	8
1.2 History of Restorative Dentistry	8
1.3 The necessity for restoration	10
1.4 The indications for restorations	11
1.5 Method of assessing the quality of dental restorations	18
1.6 Prevalence of failure of dental restorations	27
1.7 The causes of failure of restorations	30
1.8 The longevity of dental restorations	51
1.9 Variation in decision making in diagnosis and treatments in restorative dentistry	55
1.10 Use of survival analysis in dental restorations	57

**CHAPTER TWO: EVALUATION OF THE QUALITY OF DENTAL
RESTORATIONS IN THE SRI LANKAN POPULATION.**

2.1	Introduction	58
2.2	Methods and materials	
2.2.1	Formation of the questionnaire and clinical examination schedule	62
2.2.2	Pilot Study I	63
2.2.3	Pilot study II	81
2.2.4	Selection of the sample	82
2.2.5	Examination of subjects	84
2.2.6	Intra examiner consistency	85
2.2.7	Statistical methods used	89
2.3	Results	92
2.4	Discussion and conclusion	218

**CHAPTER THREE: ASSESSMENT OF THE QUANTITY AND COST
OF RESTORATIVE MATERIAL REQUIRED FOR A
RESTORATION.**

3.1	Introduction	257
3.2	Materials and Methods	258
3.2.1	Selection of sample	258
3.2.2	Method of study	260
3.3.	Results	267
3.4.	Discussion and conclusions	283

**CHAPTER FOUR: MANAGEMENT OF SELECTED CLINICAL PROBLEMS
IN DENTISTRY BY THE PRACTICING DENTAL
SURGEONS OF SRI LANKA.**

4.1	Introduction	297
4.2	Materials and methods	298
4.2.1	Selection of sample	298
4.2.2	Method of study	298
4.3	Results	300
4.4.	Discussion	324

**CHAPTER FIVE: SURVIVAL ANALYSIS OF UNSATISFACTORY
AMALGAM RESTORATIONS**

5.1	Introduction	344
5.2	Materials and methods	344
5.3	Results	345
5.4	Discussion	347

CHAPTER SIX: RECOMMENDATIONS AND FURTHER RESEARCH

6.1	Recommendations	348
6.2	Need for further research and development	351
	Figures	353
	Annexures	371
	References	398

LIST OF TABLES

Table		Page
1.7.1	The summary of a comparison of different restorative materials	48
2.4.1	Assessment of the accuracy of clinical judgement of the surface area using an objective method	67
2.4.2	The clinical assessment of the margins of amalgam restorations	76
2.4.3	Comparison of assessment of crevices <i>in vivo</i> and <i>in vitro</i> situation	77
2.4.4	Anatomical form of the periphery of restoration	79
2.4.5	Actual measurements for the clinically defined groups	80
2.5.1	An overall analysis of the restorations of the subjects and the time taken for examination	82
2.6.1	Distribution of Dental Clinics in the three grades of hospitals and the number of clinics selected for the purpose of this study	83

2.8.1	Intra examiner consistency of 27 subjects with 72 restorations (amalgam 60, tooth coloured 12)	86
2.8.2	First examination	87
2.8.3	Second examination	87
2.8.4	Results of first and second examinations	88
2.10.1	Distribution of subjects according to Provinces	92
2.10.2	Distribution of subjects according to age group and gender	93
2.10.3	Distribution of the subjects by their ethnic group	94
2.10.4	Distribution of subjects by residential sector	94
2.10.5	Distribution of subjects by age group and educational level	96
2.10.6	Distribution of subjects by age group and employment	97
2.10.7	Distribution of subjects by age group indicating the consumption of sugar as judged by the sugar taken in their tea/coffee	99
2.10.8	Distribution of subjects by age group according to betel chewing and smoking habits	101

2.10.9	Distribution of subjects by age group according to frequency of brushing of teeth	103
2.10.10	Distribution of subjects by age group according to the method of brushing teeth	104
2.10.11	Distribution of subjects by age group according to the use of dentifrices	106
2.10.12	Distribution of subjects by age group according to technique of brushing	107
2.10.13	Assessment by age group, the knowledge of the subjects regarding the difference between a temporary and a permanent restoration	109
2.10.14	Assessment by age group the knowledge of the subjects regarding a possible longevity of silver coloured restorations	111
2.10.15	Assessment by age group, the knowledge of the subjects regarding the possible longevity of tooth coloured restorations	113
2.10.16	Assessment of opinion by age group regarding the desirable frequency of dental consultations	114

2.10.17	Overall assessment of the knowledge of the subjects regarding restorative dentistry in relation to their educational level	116
2.10.18	Distribution of the dentition status in 19,065 teeth in the study population	117
2.10.19	Distribution of DMFT level in the study population	118
2.10.20	Distribution of the periodontal status in the study population	119
2.10.21	Distribution of restorations by CPITN values of subjects	120
2.10.22	Distribution of the study population by oral hygiene status	121
2.10.23	Distribution of the number of restorations by colour	122
2.10.24	Distribution of the number of restorations by FDI classification	124
2.10.25	Distribution of the number of subjects in terms of their number of restorations	125
2.10.26	Indications for restoration	126
2.10.27	Distribution of the dental health facilities where restorations were placed	127
2.10.28	Distribution of the type of dental practitioner undertaking the restoration	128

2.10.29	Distribution of the quality (satisfactory and unsatisfactory) of dental restorations in the study population of 658 patients with 1884 restorations	130
2.10.30	Distribution of unsatisfactory restorations by the characteristics qualifying for unsatisfactory status	131
2.10.31	Distribution of unsatisfactory restorations by the number of unsatisfactory characteristics	132
2.10.32	Distribution of unsatisfactory restorations in relation to common specific characteristics or to common combinations of characteristics	134
2.10.33	Individuals by number of restorations and quality of restorations	136
2.10.34	Distribution of the quality of restorations by age group	137
2.10.35	Correlation between the sugar consumption and quality of dental restorations	139
2.10.36	Relation between habit of betel chewing, smoking and quality of dental restorations	140

2.10.37	Correlation between quality of dental restorations and the frequency of brushing of teeth	142
2.10.38	Correlation between DMFT value and quality of dental restorations	143
2.10.39	Correlation between periodontal status (CPITN index) and quality of dental restorations	145
2.10.40	Correlation between the status of oral hygiene and quality of dental restorations	147
2.10.41	Distribution of the satisfactory and unsatisfactory restorations in terms of the FDI classification	149
2.10.42	Distribution of the FDI classification of satisfactory restorations by percentage range	150
2.10.43	Relationship between the quality of dental restorations and the institutions where they were placed	152
2.10.44	The frequency and percentage distribution of satisfactory and unsatisfactory dental restorations by category of operator and type of restorative material	154

2.10.45	The frequency and percentage distribution of satisfactory and unsatisfactory dental restorations by the category of operator and the class of restoration (Black's Classification)	157
2.10.46	The frequency and percentage distribution of satisfactory and unsatisfactory dental restorations by category of operator and size of the restoration	160
2.10.47	The frequency distribution and percentage of satisfactory and unsatisfactory dental restorations by the type of material used and the positioning of the margins	163
2.10.48	The frequency distribution and percentage of satisfactory and unsatisfactory dental restorations by class (Black's classification) and positioning of the margins	166
2.10.49	The frequency distribution and percentage of satisfactory and unsatisfactory dental restorations by size and positioning of the margins	169
2.10.50	The frequency distribution and percentage of the quality of dental restoration by operator and positioning of the margins	171

2.10.51	The frequency distribution and percentage of the quality of dental restoration by positioning of the margins	173
2.10.52	Distribution of the quality (satisfactory / unsatisfactory) of amalgam restorations	174
2.10.53	Distribution of unsatisfactory amalgam restorations by unsatisfactory characteristics	175
2.10.54	Distribution of unsatisfactory amalgam restoration by the number of unsatisfactory characteristics	176
2.10.55	Distribution of unsatisfactory amalgam restorations by one specific character or a combination of characters	177
2.10.56	The distribution of the characteristics of unsatisfactory amalgam restorations by type of operator	179
2.10.57	The distribution of the characteristics of unsatisfactory class I (Black's classification) amalgam restorations by category of operator	181
2.10.58	The distribution of the characteristic of unsatisfactory class II (Black's classification) amalgam restoration by category of operators	183

2.10.59	The distribution of the quality of amalgam restorations by category of operator and size	187
2.10.60	The distribution of the characteristics of unsatisfactory amalgam restorations placed by qualified dentists in relation to the size of the restoration	189
2.10.61	The distribution of the characteristics of unsatisfactory amalgam restorations placed by therapists in relation to restoration size	191
2.10.62	The distribution of the characteristics of unsatisfactory amalgam restorations placed by unqualified operators by restoration size	193
2.10.63	The distribution of the characteristics of unsatisfactory amalgam restorations by positioning of the margin of the restoration on the tooth surface	195
2.10.64	The distribution of the characteristics of unsatisfactory amalgam restorations (margins were placed at the smooth surface) by category of operator	197

2.10.65	The distribution of the characteristics of unsatisfactory amalgam restorations (margins placed at the pits or/and fissures), in terms of the type of operator	199
2.10.66	The distribution of the quality of amalgam restorations by the positioning of the margin of the restorations on the tooth surface and category of size of the restorations. (Class II restorations were excluded)	202
2.10.67	The distribution and percentage of the characteristics of size 1 unsatisfactory amalgam restorations according to type of positioning of the margin of the restoration	204
2.10.68	The distribution of characteristics of unsatisfactory amalgam restorations in size 2 category by positioning of the margin of the restoration on the tooth surface	206
2.10.69	The distribution of characteristics of unsatisfactory amalgam restorations in size 3 category by positioning of the margin of the restoration on the tooth surface	208

2.10.70	The distribution of the satisfactory and unsatisfactory amalgam restorations by category of operator and positioning of the margin of the restorations	211
2.10.71	Distribution of satisfactory and unsatisfactory tooth coloured restorations	212
2.10.72	Breakdown of unsatisfactory tooth coloured restorations by unsatisfactory characteristics	213
2.10.73	Breakdown of tooth coloured restorations by category of operators and restoration quality	214
2.10.74	Breakdown of tooth coloured restorations by positioning of the margin of the restoration and restoration quality	215
2.10.75	Breakdown of quality of tooth coloured restorations by quality and size (class II restorations excluded)	216
2.10.76	Breakdown of tooth coloured restorations by class of restoration and restoration quality	217
2.12.1	Statistical significance of general features (variables) in relation to quality	255
2.12.2	Statistical significance of specific features (variables) in relation to quality	255

3.1	Distribution of type of artificial cavities made in the experimental teeth	259
3.2	Material expended on Class I amalgam restorations	268
3.3	Assessment of the cost of material for Class I amalgam restorations	270
3.4	Material expended on Class II amalgam restorations	272
3.5	Assessment of the cost of material for Class II amalgam restorations	273
3.6	Material expended on Class III composite restorations	274
3.7	Assessment of the cost of material for Class III composite restorations	276
3.8	Material expended on Class IV composite restorations	277
3.9	Assessment of the cost of material for Class IV composite restorations	278
3.10	Material expended on Class V glass ionomer restorations	279
3.11	Assessment of the cost of material for Class V glass ionomer restorations	281
3.12	The summary of assessment of the amount and cost of materials utilized for different Classes of restorations	282

3.13	Constant values for different classes of restorations	291
3.14	Comparison of fees charged by dental surgeons in different countries including Sri - Lanka	292
3.15	Median longevity of failed amalgam and composite restorations in different countries	294
4.1	Responses from 98 dental surgeons on the management of anatomical form of restorations	303
4.2	Responses from 98 dental surgeons on the management of fractured teeth	306
4.3	Responses from 98 dental surgeons on the management of primary caries	309
4.4	Responses from 98 dental surgeons on the management of the discoloration of the tooth and/or restoration	312
4.5	Responses from 98 dental surgeons on the management of secondary caries	315
4.6	Responses from 98 dental surgeons on the management of secondary caries the treatment of defects on the surface of the restoration	317
4.7	Responses from 98 dental surgeons on the management of marginal integrity	319

4.8	Responses from 98 dental surgeons on the selection of the material for different types and sizes of restoration	322
4.9	Responses from 98 dental surgeons on the method used in cavity preparation	323
4.10	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of anatomical form	326
4.11	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of fractured teeth	328
4.12	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of primary caries	330
4.13	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of discoloured / restorations of teeth	332
4.14	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of secondary caries	334
4.15	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of surface texture of restorations	335

4.16	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the management of marginal integrity	338
4.17	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the selection of restorative material for different size and class (Black's classification) defects	340
4.18	Responses from 98 dental surgeons in agreement with WHO recommendation regarding the cavity preparation for restorations	342
4.19	The summary table of the management of dental restorations by practicing dental surgeons in Sri Lanka	343
5.1	Scheme of calculation of longevity	346

LIST OF FIGURES

Figure		Page
2.1	Ratio of population to dentists in Sri Lanka	353
2.2	Ratio of restoration to dentists in Sri Lanka	354
2.3	Treatment pattern in dentistry	355
2.4	Division of an occlusal surface of a tooth	356
2.5	Tooth chart	357
2.6	Assessment of the occlusal surface area of a class I amalgam restoration - using graticular method	358
2.7	Illustration of different stages of anatomical form and marginal integrity in relation to dental restoration and tooth	359
2.8	Illustration of selected sites of the restoration during examination	360
2.9	A photograph of a modified dental impression tray	361
2.10	A photograph of an impression (rubber base) of a restored tooth	362
2.11	A photograph of a gold plated epoxy cast	363

2.12	A SEM photograph of a restored tooth - no discrepancy	364
2.13	A SEM photograph of a restored tooth - crevice 0 - 40 microns	365
2.14	A SEM photograph of a restored tooth - crevice 41 - 285 microns	366
2.15	A SEM photograph of a restored tooth - crevice 286 - 350 microns	367
2.16	A SEM photograph of a restored tooth - crevice >350 microns	368
2.17	A SEM photograph of a restored tooth - over contour	369
2.18	A SEM photograph of a restored tooth - under contour	370

LIST OF ANNEXURES

Annexure	Page	
1.1	Quality Evaluation Rating System	371
1.2	Quality Evaluation Criteria and Abbreviation	372
2.1	Ratio of dentist to population in a few developed and developing countries	373
2.2	The trends in restorative dentistry in Sri Lanka	374
2.3	Questionnaire and examination schedule	375
2.4	Criteria applied during direct clinical evaluation of the anatomical form of the restoration	385
2.5	Criteria applied during direct, clinical evaluation of the marginal adaptation	386
2.6	Criteria applied during indirect, (evaluation of SEM photograph)	387
3.1	Black's classification of carious lesions	388
4.1	Questionnaire regarding survey of management of selected clinical problems in dentistry by the practicing dental surgeons of Sri Lanka	389