CONTENTS

	<u>Page</u>
ACKNOWLEDGEMENTS	iv
LIST OF DIAGRAMS, FIGURES AND MAPS	v
LIST OF TABLES	viii
LIST OF GROUND PHOTOGRAPHS, STEREOPAIRS AND STEREOTRIPLETS	viii
CHAPTER 1 - INTRODUCTION	1
1.1 Objectives of the study	1
1.2 Previous studies	1
1.2.1 General studies on coastal geomorphology	2
1.2.2 Studies on coastal processes and morphology	2
1.2.3 Studies on coastal changes	3
1.2.4 Studies on coastal erosion hazards	4
1.2.5 Studies on coastal conservation	4
1.2.6 Other studies on the coastal environment	4
1.3 Scope of the present study	5
1.4 Methodology and techniques	5
1.4.1 Methodology	5
1.4.2 Techniques	5
CHAPTER 2 - GENERAL PHYSICAL BACKGROUND	8
2.1 The general terrain configuration	8
2.2 The geological context	8
2.3 The Quaternary	9
2.3.1 The Older Group	11
2.3.1.1 The Ferruginous Gravels	. 11
2.3.1.2 The Terrace Gravels	12
2.3.1.3 The Red Earth Formation	12
2.3.2 The Younger Group	13
2.4 Climate	15
2.5 Soils	17

	Page
CHAPTER 3 - SUBMARINE MORPHOLOGY AND COASTAL PROCESSES	18
3.1 The sea bottom configuration	18
3.2 Seas, swells and fetch	20
3.3 Waves	22
3.4 Currents	24
3.5 Littoral drift	25
3.6 Wind characteristics	28
3.7 Tides	29
3.8 Seasonal changes of sea level	30
CHAPTER 4 - GEOMORPHOLOGY OF THE SOUTHEASTERN COAST	31
4.1 Introduction	31
1.2 Categories of landforms of the southeastern coastal plain	33
4.3 Details of the major landforms of the southeastern coast	35
4.3.1 Spits and barriers	35
4.3.2 Recent and former beaches	41
4.3.3 Former bay beaches	42
4.3.4 Lagoonal beaches and lagoonal floors	46
4.3.5 Dunes and associated features	52
4.3.6 Landforms of fluvial origin	58
4.3.7 Planation surfaces and other denudational forms	60
4.3.8 Other landforms	63
CHAPTER 5 QUATERNARY ENVIRONMENTAL CHANGES	64
5.1 Introduction	64
5.2 Climatic changes	64
5.3 Sea level changes	65
CHAPTER 6 - GEOMORPHOLOGICAL EVOLUTION OF THE SOUTHEASTERN COAST	70
6.1 Spatial and temporal aspects	70
6.2 Spatial evolution of the southeastern coast	70
6.2.1 The Kalametiya-Lunama system	70
6.2.2 The Welipatanwila system	7 5
6.2.3 The Walawe River estuarine system	78
6.2.4 The Sittarakala system	78

	Page	
6.2.5 The Hambantota system	81	
6.2.6 The Koholankala system	83	
6.2.7 The Malala-Embilikala system	85	
6.2.8 The Bundala and Kirindi Oya systems	87	
6.3 The evolutionary stages: temporal aspects	88	
6.4 Differences of materials formed in the various evolutionary stages	89	
6.4.1 Sand, silt and clay	89	
6.5 Provenance of sediments based on heavy minerals	91	
SUMMARY AND CONCLUSIONS	98	
REFERENCES	101	
APPENDIX I		

<u>ACKNOWLEDGEMENTS</u>

I wish to express my deep gratitude to Prof.Dr. H.Th. Verstappen for his valuable advice, supervision and constructive criticism on the entire manuscript of this thesis. His patient, organized guidance inspired me to transform this task into reality.

Drs. N.H.W. Donker, who helped me to process the laboratory data by using his computer programmes, is also remembered with much gratitude.

I am also grateful to Mr. P. Hofsteenge, who read through the entire manuscript with patience and made valuable suggestions.

My gratitude is also expressed to Dr. A.M.J. Meijerink, Dr. R.A. van Zuidam and Drs. R.P.G.A. Voskuil, who gave me special training on aerospace survey techniques.

Dr. A. Manus, Department of Mining, Delft University of Technology, The Netherlands, is remembered gratefully for his valuable guidance on the analysis of heavy minerals.

Prof.Dr. Kanthi Rathnayaka, Department of Geography, Ruhuna University, Sri Lanka, who encouraged me in numerous ways to complete this work, is reminded with much appreciation and gratitude.

I am grateful to Ms. Kanthi Vitharana and Mr. W.N. Wilson, Department of Geography, University of Colombo, Sir Lanka, who helped me to fulfil this work.

I also wish to thank Mr. M. Liyanage, Department of Geography, University of Colombo, Sri Lanka, who helped me with laboratory work.

I extend special thanks to Mrs. M. Völker for her enthusiastic, prompt and accurate typing of this thesis.

Upali Weerakkody.

ITC, Enschede, The Netherlands, Late Summer 1985.

LIST OF DIAGRAMS, FIGURES AND MAFS

				Page
Diagram	1.4.1		Methodology of the study	6
Мар	2.1.2	_	Geology of the southeastern coast	10
Figure	2.4.1	_	Average monthly water balance	15
Figure	2.4.2	_	The location of the ITCZ and monsoons	16
Figure	2.4.3	_	Cyclonic trajectories 1945-1958	16
Figure	3.1.1	-	Relief of the continental shelf and the ocean floor near Sri Lanka	18
Figure	3.1.2	-	Submarine morphology of the southeastern coast of Sri Lanka	19
Figure	3.2.1	_	The seas and swells in the Indian Ocean	20
Figure	3.2.2	_	Expected sediment movement under the influence of the SW and NE monsoons	21
Figure	3.4.1	_	Surface currents around Sri Lanka	25
Figure	3.5.2	-	Transportation of sediment by eastern and western drift	26
Map	3.5.1	-	Beach types along the southeastern coast	27
Figure	3.6.1	-	Mean wind speed and mean daily wind speed	29
Figure	3.8.1	_	Seasonal changes of sea level around Sri Lanka	30
Map	4.1	-	The coastal systems of the southeastern coast of Sri Lanka	33
Figure	4.3.1.1	-	Grainsize distribution and silt/clay content, Koholan-kala fossilized spit	36
Figure	4.3.1.2	-	Grainsize distribution and silt/clay content, Kalame- tiya barrier	38
Figure	4.3.1.3	-	Grainsize distribution and silt/clay content, Welipatanwila barrier	39
Figure	4.3.1.4	-	Grainsize distribution and silt/clay content, Mahasit- tarakala barrier	39
Figure	4.3.1.5	-	Grainsize distribution and silt/clay content, Bundala fossilized barrier	40
Figure	4.3.1.6	-	Grainsize distribution and silt/clay content, Koholan- kala fossilized barrier	40
Figure	3.2.1.7	_	Grainsize distribution and silt/clay content, Koholan-kala fossilized spit	41
Figure	4.3.1.8	-	Generalized sections showing sequences in typical estuarine and lacustrine beds	44
Figure	4.3.3.2	_	Sand fraction analysis and silt/clay content, Hatagala former bay beaches	45

		Page
Figure	4.3.4.2 - Grainsize distribution and silt/clay content, Koholan- kala lagoonal beaches	48
Figure	4.3.4.3 - Grainsize distribution and silt/clay content, Karagam Lewaya fossilized lagoonal beach	48
Figure	4.3.4.4 - Grainsize distribution and silt/clay content, Karagam Lewaya lagoonal beach	49
Figure	4.3.4.5 - Grainsize distribution and silt/clay content, Mahale- waya lagoonal beach	49
Figure	4.3.4.6 - Grainsize distribution and silt/clay content, Kalame- tiya lagoonal beach	51
Figure	4.3.4.7 - Grainsize distribution and silt/clay content, Karagam Lewaya lagoonal floor	51
Figure	4.3.4.8 - Grainsize distribution and silt/clay content, Maha lagoonal floor	52
Figure	4.3.5.1 - Grainsize distribution and silt/clay content, Bundala recent dunes	54
Figure	4.3.5.2 - Grainsize distribution and silt/clay content, Chitragala recent dunes	54
Figure	4.3.5.3 - Grainsize distribution and silt/clay content, Wewakan- da recent dunes	55
Figure	4.3.5.4 - Grainsize distribution and silt/clay content, Hamban- tota red earth deposits	55
Figure	4.3.5.5 - Grainsize distribution and silt/clay content, Bundala red dunes	56
Figure	4.3.6.1 - Grainsize distribution and silt/clay content, Oluvila alluvial plain	59
Figure	4.3.6.2 - Grainsize distribution and silt/clay content, Oluvila lake deposits	59
Figure	4.3.6.3 - Grainsize distribution and silt/clay content, Ambalan- tota natural levee	60
Figure	4.3.7.1 - Grainsize distribution and silt/clay content, Batampara planation surface	61
Figure	4.3.7.2 - Grainsize distribution and silt/clay content, Lunama planation surface	61
Figure	4.3.7.3 - Three cross sections showing the various types of materials covering denudational surfaces	62
Figure	5.2.1.2 - Marine terraces on the Miocene bed	67
Figure	5.3.2 - A eustatic sea level curve	69
Figure	6.2.1.1 - The evolution of the Kalametiya-Lunama system	71
Figure	6.2.1.2 - Sections across the Kalametiya lagoon and its headland	7 3
Figure	6.2.1.3 - Sections across the Lunama lagoon	74
Figure	6.2.2.1 - Growth stages of the Welipatanwila system	76
Figure	6.2.3.1 - Evolutionary stages of the Walawe River estuarine system	79

		Page
Figure	6.2.4.1 - The evolution of the Sittarakala system	80
Figure	6.2.4.2 - Two sections across the Sittarakala system	82
Figure	6.2.6.1 - Evolutionary stages of the Koholankala system	83
Figure	6.2.6.2 - Section across the Koholankala system	85
Figure	6.2.7.1 - The evolution of the Malala-Embilikala system	86
Figure	6.2.7.2 - Section across the Malala-Embilikala system	87
Figure	6.4.1.1 - Silt and clay contents of the landforms	90
Figure	6.4.1.2 - Sand, silt and clay contents; characteristics of the landforms studied	91
Figure	6.5.1 - Dendrogram showing the clustering of the samples	93
Figure	6.5.2 - The heavy mineral distribution	96

LIST OF TABLES

				Page
Table	3.3.1	_	Standard wind velocity	22
Table	3.3.2		Wind-generated waves around Sri Lanka	23
Table	3.3.3	_	Wave characteristics: seasonal contrast	23
Table	3.6.1	_	Prevailing wind direction of the southeastern coast	28
Table	4.3.1.1	_	Munsell soil colour of barriers	37
Table	4.3.4.1	-	Phi-values corresponding with crucial percentiles for lagoonal beaches	50
Table	4.3.5.1	-	Phi-values corresponding with crucial percentiles for dunes and other windblown deposits	56
Table	5.3.1	_	Sea level changes during the Holocene	66

LIST OF GROUND PHOTOGRAPHS, STEREOPAIRS AND STEREOTRIPLETS

	Page
Photo 2.3.1.1.1 - Basal ferruginous gravels at Chitragala	11
Photo 2.3.1.1.2 - Basal ferruginous gravels at Chitragala, enlarged view	12
Photo 2.3.1.2.1 - Terrace gravels at Chitragala	13
Photo 4.2.1 - Beach cusps west of Hambantota	34
Photo 4.3.1.1 - The recent and subrecent barriers, Kalametiya	37
Photo 4.3.2.1 - Log-spiral shaped beach, Hambantota	42
Photo 4.3.3.1 - Top part of the profile of the Hatagala beds	44
Photo 4.3.3.2 - Lower part of the Hatagala beds	45
Photo 4.3.4.3 - Kalametiya lagoonal floor	47
Photo 4.3.4.5 — Karagam lagoonal floor	47
Photo 4.3.5.1 - Typical physiognomy of dunes	53
Stereotriplet 6.2.1 - The Kalametiya-Lunama system	72
Stereotriplet 6.2.2 - The Welipatanwila system	77
Stereopair 6.2.6 - The Koholankala system	84